

CONSTRUCTION ESSENTIALS

JOB SITE SIGNS, TAGS, HARD HAT STICKERS, BANNERS, LOCKOUT & MORE



ACCUFORN**NMC**[™]
Justrite Safety Group

The Compliance Experts
Best in Class Customer Service
Trusted Safety Solutions That Fit

www.accuformNMC.com
800.237.1001



CONSTRUCTION ESSENTIALS

Table of Contents

Tags By-The-Roll	4
Safety Tags & Labels.....	5 - 6
PPE.....	7
Job Site Signs.....	8 - 9
Hard Hat Accessories.....	10
Posters	11
Safety Banners.....	12 - 13
Decibel Meter Signs.....	14 - 16
KPI Boards	17 - 18
Barricade	19
Construction Zone Signs	20
Traffic Signs.....	21
Lockout Devices	22 - 26
Welding Screens	27

COMMON HAZARDS AT CONSTRUCTION SITES

Nearly 8 million people work at approximately 919,000 construction sites across the nation on any given day. The fatal injury rate for the construction industry is higher than the national average for all industries.

These are some of the commonly cited hazards found at construction sites across the United States.

Falls

Falls consistently account for the greatest number of fatalities in the construction industry. Employees who work six or more feet above a lower level must use fall protection.


Signage – Page 8



Stairways & Ladders

Working on and around stairways and ladders can be hazardous. Stairways and ladders are major sources of injuries and fatalities among construction workers.

Ladder Shield™ – Page 23



Scaffolding

Scaffolding hazards continue to rank high on the list of the most frequently cited standard violations in the construction industry. Protecting workers from scaffold-related accidents could prevent some of the 4,500 injuries and over 60 deaths every year.

Scaffold Tag Inspection Kit – Page 5



Electrical

Almost all construction employers must consider the hazards associated with electricity (i.e., electric shock, electrocution, fires, and explosions). OSHA requires that employees not work near any part of an electrical power circuit unless protected.

Standard Lockout Kit – Page 23



Trenching & Excavation

Two workers are killed every month in trench collapses. Employers must comply with the trenching and excavation requirements of 29 CFR 1926.651 and 1926.652 or comparable OSHA-approved state plan regulations.

Signage – Page 8



Motor Vehicle Safety/ Highway Work Zones

The majority of fatalities that occur in road construction work zones in the United States involve a worker being struck by a piece of construction equipment or other vehicle.

Tilt Adjust™ Spring-Less Sign Stand and Roll-up Signs – Page 20



For more information on this and other safety standards, please visit <https://www.osha.gov/>



Tags By-The-Roll

Portable Cardboard Dispenser for Your On-the-Go Needs.

- Tear- and water-resistant, PF-Cardstock tags
- Tags are connected end-to-end with perforations
- Box features 1 1/2" perforated center hole for mounting
- Available in 100 and 250 tags per roll
- Tags measure 6 1/4"H x 3"W, with 3/8" hole
- Dispenser box measures 6 5/8"H x 6 5/8"W x 3 5/8"D

IDEAL FOR VENDING LOCKERS

STYLE
100 Roll
250 Roll



TAR128 100/ROLL
TAR158 250/ROLL



TAR10 100/ROLL
TAR140 250/ROLL



TAR110 100/ROLL
TAR121 250/ROLL



TAR118 100/ROLL
TAR148 250/ROLL



TAR412 100/ROLL
TAR423 250/ROLL



TAR714 100/ROLL
TAR730 250/ROLL



TAR136 100/ROLL
TAR160 250/ROLL



TAR130 100/ROLL
TAR152 250/ROLL



TAR718 100/ROLL
TAR736 250/ROLL



TAR101 100/ROLL
TAR103 250/ROLL



TAR460 100/ROLL
TAR482 250/ROLL



TAR402 100/ROLL
TAR470 250/ROLL



TAR404 100/ROLL
TAR472 250/ROLL



TAR109 100/ROLL
TAR111 250/ROLL



TAR112 100/ROLL
TAR113 250/ROLL

Additional Stock Messages and Custom Available. Contact us for details.

Safety Tags

Prevent accidents, protect equipment, and track inspections.


- **PF-Cardstock (CTP)** Pliable, plastic (pulp-free). Tear- and water-resistant for light duty, short-term use with 3/8" hole.
- **RP-Plastic (PTP)** plastic tags are tear-resistant, weatherproof, and resistant to chemicals, grease, and dirt with 3/8" hole, reinforced by a pull-proof, metal grommet.



Front
MGT219



FRONT
MGT217



Front (Perforated)
MGT206

MATERIAL	SIZE
CTP	5 3/4" x 3 1/4"
PTP	5 3/4" x 3 1/4"


Dozens of Additional Stock Messages Available. Contact us for details.

CUSTOMIZE IT!

Custom Tags Made Easy

- ✓ No Set-up Fees
- ✓ Unlimited Colors and Logos
- ✓ Photographic-Quality Digital Printing

Contact us for details and ordering instructions.



Scaffold Status - 3'n 1 Fold Tag

- Display danger, caution, or attention messages all from the same tag with a simple fold
- Front and back display the same color with related info
- Folded tag size: 5 3/4" x 3 1/4"
- Unfolded size: 11 1/2" x 6 1/2"

MATERIAL	NO.	NO.
PF-Cardstock	TSS200CTM	TSS200CTP
RP-Plastic	TSS200PTM	TSS200PTP

Scaffold Tag Inspection Kit

Includes:

- 10 Holders
- 25 Green Tags
- 25 Yellow Tags

MATERIAL	NO.
PF-Cardstock	TSS301
RP-Plastic	TSS302

TSS301
(PF-Cardstock Only)



TSS302
(Plastic Only)



Safety Labels

- 3 1/2" x 5" labels printed on vinyl with acrylic adhesive
- Moisture-resistant
- Ideal for indoor or sheltered environments



LELC164VSP



LELC002VSP



LCSP280VSP



LELC795VSP



LELC248VSP



LEQM279VSP



LLKT286VSP



LEQM273VSP



LEQM269VSP



LELC605VSP



LCHL675VSP



LEQM780VSP



LEQM782VSP



LELC643VSP



LFXG440VSP



LFSD509VSP

Additional Stock Messages and Custom Available. Contact us for details.



ZRS371

Safety Documents Job Site Boxes

Have important paperwork readily available and protected on the job site.

- Durable steel box has galvanized coating and exterior powder-coat finish to prevent rust
- Stainless steel, sloping hinged lid with lockable hasp and foam gasket
- 13 1/2" x 13 1/2" x 4 1/2" box holds up to 3" binder
- Designed for outdoor exposure
- Box can be set out on a counter, table, or installed on wall with rear mounting holes
- Kit includes 2 1/2" SDS binder



ZRS407

Basket-Style Aluminum Safety Data Sheet (SDS) Centers

- 20"H x 15"W sturdy aluminum backboard
- PVC-coated steel wire basket holds a standard three-ring 1 1/2" binder (included)
- Four corner mounting holes
- Protected by Sign Muscle® Liquid Laminate

Potable Water Cooler Tape

- Clearly mark potable water and discourage dipping
- Visible green tape with identifying message
- Leaves no sticky residue when removed
- 2"H x 55-yds. long
- Roll seals approximately 38 ten-gallon water coolers




KWC100





PPE-ID™ Chart & Label Booklet Kit

- Show specific PPE requirements for designated hazard areas.
- Ideal for posting at entrances, doorways, time clocks, lockers, and more
- 24" x 18" PPE-ID™ Chart is printed on sturdy plastic with UV protective coating
- Template with blank spaces to be filled in by placing PPE product labels from the Label Booklet. (sold as part of a kit or separately)



Fall Protection Shadow Boards

- Fall Protection Shadow Boards, perfect for storing and organizing harnesses and lanyards* at the job site trailer.
- Made of Ultra Aluma-Lite™ and protected by Sign Muscle®
- Includes zinc-plated mounting hardware
- Available in horizontal (30" x 68") and vertical (68" x 30", shown) formats
- Features 1/2" rounded corners and 3/8" mounting holes
- *Fall protection not included

Contact us today for additional styles and customization.

Customize It!

Custom PPE-ID™ Charts

- Remind employees, contractors, and visitors of protective equipment requirements.
 - Full-color and fully customizable PPE ID™ Charts identify required PPE for any job site. Place Custom PPE-ID™ Charts at entrances, doorways, time clocks, and locker or changing areas. Available each in Plastic, Aluma-Lite™ or Accu-Shield™.
 - Reinforce training programs by showing full-color images of required PPE
 - Help non-English speaking workers quickly recognize required protective equipment
 - Reinforce already-posted warning messages
 - Strengthen awareness of required PPE
 - Include specific product names and part numbers for easy reference
- Contact us for details.



Job Site Signs

Durable, light, industrial short-term signage. Contractor Preferred Signs offer great performance at a cost-effective price.

Adhesive (VS) is a flexible, pressure-sensitive adhesive vinyl material for indoor and short-term outdoor applications. Will conform to smooth curved surfaces.



Plastic (VP) offers light abrasion and chemical resistance that will not rust, chip, or crack. Conforms to curved surfaces. Finished with four mounting holes. Protected with Sign Muscle®.



Aluminum (VA) stands up indoors and out and is thin enough to conform to curved surfaces. Finished with four mounting holes. Protected with Sign Muscle®.

To order, add material code in parenthesis above after part number.



7" x 10" MADM130
10" x 14" MADM006
14" x 20" MADM108



7" x 10" MCRT127
10" x 14" MCRT135
14" x 20" MCRT106
18" x 24" MCRT100



7" x 10" MPPE044
10" x 14" MPPE140
14" x 20" MPPE047
18" x 24" MPPE150



7" x 10" MCRT101
10" x 14" MADM014
14" x 20" MCRT011
18" x 24" MCRT012



10" x 14" MCRT034



7" x 10" MADM002
10" x 14" MADM003
14" x 20" MADM045
18" x 24" MADM046



7" x 10" MCRT123
10" x 14" MCRT122
14" x 20" MCRT026
18" x 24" MCRT115



7" x 10" MCRT027
10" x 14" MCRT126
18" x 24" MCRT089



7" x 10" MCRT137
10" x 14" MCRT103
14" x 20" MCRT029



7" x 10" MCHL224
10" x 14" MCHL226
14" x 20" MCHL211
18" x 24" MCHL164



7" x 10" MADM138
10" x 14" MADM139
14" x 20" MADM129
18" x 24" MADM116



7" x 10" MELC275
10" x 14" MELC022
14" x 20" MELC080



7" x 10" MCRT147



7" x 10" MCRT013
10" x 14" MCRT008
14" x 20" MCRT015
18" x 24" MEQM212



7" x 10" MFPR104
10" x 14" MFPR105
14" x 20" MFPR101
18" x 24" MFPR162



7" x 10" MCHL148
10" x 14" MCHL231
14" x 20" MADM108
18" x 24" MCHL148



7" x 10" MCHL241
10" x 14" MCHL245
14" x 20" MCHL212



7" x 10" MPPA004
10" x 14" MPPA005
14" x 20" MPPA006
18" x 24" MPPE152



7" x 10" MPPE132
10" x 14" MPPA029
14" x 20" MPPE087
18" x 24" MPPE156



7" x 10" MELC113
10" x 14" MELC114
14" x 20" MELC116
18" x 24" MELC078



7" x 10" MELC127
10" x 14" MELC128
14" x 20" MELC129
18" x 24" MELC074



7" x 10" MELC193
10" x 14" MELC103
14" x 20" MELC069
18" x 24" MELC076



7" x 10" MADM080
10" x 14" MADM058
14" x 20" MADM037
18" x 24" MEQM180



7" x 10" MADM145
10" x 14" MADM146
14" x 20" MADM147
18" x 24" MADM120



7" x 10" MLKT106
10" x 14" MLKT015
14" x 20" MLKT025



7" x 10" MEQM061
10" x 14" MCRT016
14" x 20" MCRT014
18" x 24" MEQM225



7" x 10" MSMK132
10" x 14" MSMK133
14" x 20" MSMK134
18" x 24" MSMK105



7" x 10" MSTF201
10" x 14" MCRT010



7" x 10" MCRT031
10" x 14" MCRT022
14" x 20" MCRT032
18" x 24" ECSP182



10" x 14" MEQM242
18" x 24" MEQM179

Additional Stock Messages Available. Contact us for details.

DANGER
OXYGEN
7" x 10" MCHL168
10" x 14" MCHL170
14" x 20" MCHL214

DANGER
PROTECTIVE EQUIPMENT REQUIRED
10" x 14" MPPE089
18" x 24" MPPE158

DANGER
RESTRICTED AREA AUTHORIZED PERSONNEL ONLY
7" x 10" MADM038
10" x 14" MADM039
18" x 24" MADM119

DANGER
SAFETY HARNESS AND LIFELINE REQUIRED
7" x 10" MFPR103
10" x 14" MFPR107
18" x 24" MFPR168

DANGER
THIS MACHINE STARTS AND STOPS AUTOMATICALLY
7" x 10" MEQM150
10" x 14" MEQM152
14" x 20" MEQM155

WARNING
NO TRESPASSING
7" x 10" MADM313
10" x 14" MADM304
14" x 20" MATR302

CAUTION
DO NOT OPERATE WITHOUT GUARDS
7" x 10" MEQC720
10" x 14" MEQC721
14" x 20" MEQM713
18" x 24" MEQM605

CAUTION
EAR AND EYE PROTECTION REQUIRED
7" x 10" MPPE436
10" x 14" MPPA608
14" x 20" MPPE443

CAUTION
HARD HAT REQUIRED BEYOND THIS POINT
7" x 10" MPPE643
18" x 24" MPPE780

CAUTION
HEARING PROTECTION REQUIRED BEYOND THIS POINT
7" x 10" MPPE745
10" x 14" MPPG660
18" x 24" MPPE781

CAUTION
LOW CLEARANCE
7" x 10" MECR614
10" x 14" MECR615
18" x 24" MECR625

CAUTION
NOT A STEP
7" x 10" MSTF647
10" x 14" MSTF649
14" x 20" MSTF653

CAUTION
OPEN DOOR SLOWLY
7" x 10" MABR603
10" x 14" MABR607
14" x 20" MABR610

CAUTION
SAFETY GLASSES HARD HAT WORK BOOTS MUST BE WORN ON THIS JOBSITE
18" x 24" MPPE775

CAUTION
SAFETY GLASSES REQUIRED BEYOND THIS POINT
7" x 10" MPPE647
10" x 14" MPPA703
18" x 24" MPPE782

CAUTION
SLIPPERY WHEN WET
7" x 10" MSTF640
10" x 14" MSTF642
14" x 20" MSTF624

CAUTION
WATCH FOR FORKLIFT TRAFFIC
7" x 10" MVHR631
10" x 14" MVHR633
14" x 20" MVHR676

NOTICE
ALL VISITORS MUST CHECK IN AT PROJECT OFFICE NO SOLICITATIONS
7" x 10" MADM806
18" x 24" MADM857

NOTICE
AUTHORIZED PERSONNEL ONLY
7" x 10" MADC800
10" x 14" MADC801
14" x 20" MADC802
18" x 24" MADM863

NOTICE
AUTHORIZED VEHICLES AND PERSONNEL ONLY
10" x 14" MADM709
18" x 24" MADM858

NOTICE
NO SMOKING
7" x 10" MSMK847
10" x 14" MSMK848
18" x 24" MSMK818

NOTICE
SAFETY GLASSES REQUIRED IN THIS AREA
7" x 10" MPPE854
10" x 14" MPPA801
14" x 20" MPPA802

NOTICE
THIS AREA IS UNDER 24 HOUR VIDEO SURVEILLANCE
7" x 10" MASE806
10" x 14" MASE807
14" x 20" MASE815

NOTICE
VISITORS MUST REPORT TO OFFICE
7" x 10" MADM713
10" x 14" MADM714
14" x 20" MADM715
18" x 24" MADM820

ATTENTION
ALL VISITORS AND SALES PEOPLE PLEASE REPORT TO OFFICE
10" x 14" MADM509
14" x 20" MADM513
18" x 24" MADM533

EMERGENCY EYEWASH
10" x 7" MFSD424
14" x 10" MFSD509

EXIT
7" x 10" MADC531
10" x 14" MEXT906
18" x 24" MEXT514

FIRE EXTINGUISHER
10" x 7" MFXG417
14" x 10" MFXG908

FIRST AID STATION
7" x 10" MFSD959
10" x 14" MFSD960
14" x 20" MFSD410

NO PARKING
PARKING IN DESIGNATED AREAS ONLY
18" x 24" MVTR506

NO SMOKING
7" x 10" MSMK423
10" x 14" MSMK570
14" x 20" MSMK572
18" x 24" MSMK501

NO SMOKING
7" x 10" MSMK575
10" x 14" MSMK545
14" x 20" MSMK419
18" x 24" MSMK963

NO SMOKING IN THIS AREA
18" x 24" MSMK960

NO SMOKING IN THIS AREA NO FUMAR EN ESTA AREA
18" x 24" SBMSMK960

NO TRESPASSING
18" x 24" MADM912

NOT AN EXIT
7" x 10" MEXT910
10" x 14" MEXT911

Additional Stock Messages Available. Contact us for details.

NOTICE
PROTECTED BY
SIGN MUSCLE
CLEARLY STRONGER

Are Your Current Job Site Signs Protected by Sign Muscle®?

Superior Protection
Patented protection from fading and yellowing, tagging, abrasions, and cracking to shield your safety message on selected materials (Plastic & Aluminum).

Improved Formulation
Sign Muscle® now has improved UV inhibitors and continues to cure and get even stronger over time! Pre-applied to signs and ready-to-use right out of the box!

Why Sign Muscle®?
Sign Muscle® is applied to many of our products - for FREE! Best of all, these signs include a Lifetime Warranty!

Hard Hat Accessories

Hard Hat Stickers

Waterproof stickers feature a self-adhesive back with peel-off liner. Measures 2 1/4".



LHTL178



LHTL079



LHTL190



LHTL098GN



LHTL242



LHTL158




LHTL107
Hard hat not included

Customize your hard hat sticker with your logo, message, shape or size!

Flag Helmet Stickers

- Engineer-Grade Reflective material
- Stickers are flexible to conform to the curve of a hard hat
- Permanent adhesive back with peel-off liner
- Waterproof



NO.	SIZE
LHTL671	1" x 1 3/4"
LHTL675	1 1/2" x 3"

Canadian & Mexican Flag Stickers Available

Retro-Reflective Helmet Stickers

Permanent self-adhesive back with peel-off liner. 1" x 4".

16 STICKER MIN. PER MESSAGE



Fluorescent Lime Green Yellow
LHR104GNYL



Fluorescent Red Orange
LHR104RDOR



White
LHR104WT



Blue
LHR104BU



Red
LHR104RD

In Case of Emergency (ICE) Hard Hat Labels

Record emergency information on vinyl, self-laminating Hard Hat Labels. 1 1/2" x 6".

5 LABEL MIN. PER MESSAGE



LHTL250




LHTL251

Banana-Brim Grinding Catcher

Designed to attract small, loose airborne ferrous-metal particles. Made of .030" flexible magnetic copolymer vinyl. 1 3/4"H x 7 3/4"W with adhesive back.

LHB753





Motivational Posters

Reinforce the importance of Construction Safety on your job site with the most eye-catching images in the industry!

- Stock Poster Size: 17" x 22"
- Available with or without lamination
- Laminated version features front and back lamination for increased durability

To order, add code after part number.

STYLE	MATERIAL
Non-Laminated*	-
Laminated	L

* ⚠️ **WARNING:** Reproductive Harm – www.P65Warnings.ca.gov



SP125145



SP124520



SP125141



SP125026



SP125144



SP125142



SP124511



SP125148




SP124517



SP124487



SP124477




SP125391



SP125388



SP125392
SP125389SB BILINGUAL



SP125390
SP125390SB BILINGUAL


Additional Stock Messages Available. Contact us for details.

Combo, State, Federal, & OSHA Labor Law Posters

- Includes NLRA Employer Rights Notice Poster
- 40" x 27" posters are laminated for durability

STYLE	NO.
English	PPG300*
Spanish	PPG400

*When ordering, specify two-letter state code after part number e.g. for Florida = PPG300FL



Custom Posters Made Easy

- ✓ No Set-up Fees
- ✓ Unlimited Colors and Logos
- ✓ Photographic-Quality Digital Printing

Contact us for details.



Safety Banners

Job Site Safety Banners

- 28"H x 8-ft.
- Printed on durable, vinyl material
- Finished hems and metal grommets

Additional Stock Messages and Custom Available.
Contact us for details.


▲ **WARNING:** Cancer – www.P65Warnings.ca.gov



MBR896




MBR905



MBR877



MBR763



MBR907



MBR832



MBR866



MBR833



MBR884



MBR901




SBMBR897



MBR870



MBR582
SBMBR582 BILINGUAL



MBR581
SBMBR581 BILINGUAL



MBR579

Custom Feather Flags

Effortlessly capture the attention of visitors and employees with a customized message.

- High-quality, digitally printed messages are available in unlimited colors
- Easy-to-use kit includes: one custom-printed flag, one pole, and one ground spike
- Flag is made of a polyester material
- Pole (whip) is fiberglass, ground stake is metal
- Available in multiple shapes and sizes
- Durability: 9-12 months

HEIGHT	SINGLE-SIDED	DOUBLE-SIDED
8'	MDE632	MDE629
10'	MDE634	MDE628
12'	MDE637	MDE627
15'	MDE638	MDE626
17'	MDE639	MDE624

Contact us for details.



FENCE-WRAP™

Mesh Screens

Fence-Wrap™ Mesh Banners are sized specifically for common job site fence dimensions. Available in popular stock messages.

Add your company logo to the semi-custom options at no extra charge.



Additional Stock Messages and Custom Available. Contact us for details.

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

SIZE
4' x 6'
4' x 10'




4' x 10'

FBW112



4' x 10'

FBW118



4' x 6'

FBW207



4' x 10'

FBW306



4' x 6'

4' x 6'

FBW208

SBFBW208 Bilingual



4' x 10'

4' x 10'

FBW302

SBFBW302 Bilingual



4' x 6'

4' x 6'

FBW210

SBFBW210 Bilingual



4' x 10'

4' x 10'

FBW304

SBFBW304 Bilingual

Decibel Meter Signs

Decibel Meter Signs


Continually measure and display decibel levels to alert workers of the potential need for hearing protection.

- Three digit 1.5" high red LED digital numbers are viewable from 75-ft. away
- Measurement range from 30 to 130 dB
- Accurately measures to ±1.5 decibels
- Requires no additional calibration or settings
- Available in 5-ft. DC 9V power cord or with power cord extension set (SCS620 sold separately)
- Protected by Sign Muscle®
- Available with or without earplug dispensers (Earplugs not included)
- Working environment: 32-104°F, 10-70% RH*



*Not recommended for use in high humidity environments

Decibel Meter Signs Support OSHA 29 CFR 1910.95 hearing conservation program!



20" x 12" SCS603



30" x 36" SCS602



20" x 24" SCS604



12" x 10" SCS601



12" x 10" SCS605



20" x 24" SCS607

Dispenser Measures:
11"H x 6"W x 7 3/4"D



20" x 12" SCS606

Dispenser Measures:
4 1/2"H x 3 1/2"W x 1 7/8"D

SIZE
12" x 10"
20" x 12"
20" x 24"
30" x 36"

Signs With Ear Plug Dispenser

SIZE
20" x 12"
20" x 24"

Customize It!

Custom Decibel Meter Signs

Decibel Meter Signs can be custom printed with any message, graphic, or logo.

Contact Your Distributor for Details and Pricing.



DIGI-DAY®

Electronic Scoreboards

The Digi-Day® that dominated the electronic scoreboard market for years has been upgraded!



⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

New features include a slimmer board style (1"D), indoor or outdoor placement** including wet or damp conditions, and the best part – you can now control up to 5 digital displays with one remote!

- Count days without an accident in green, or in the event of an accident, set the display to red until you meet your new safe days goal
- Track the 7-day week, or only your company's work days
- Internal clock advances counter by one automatically, every 24 hours; set to change any time of day
- Display days only or flash between days, date, and clock
- Tamper-proof operation with easy to use handheld remote control
- In a power failure, all information is stored*

Specifications:


- IP65 tested for dust and water resistance
- 28" x 20" x 1" aluminum construction
- Built-in hidden rear mounting brackets
- Four-digit, bright LED display with 2 1/2"H numbers
- Operates on 110/120 VAC with 8-ft. power cord and AC adapter
- Protected by Sign Muscle®

*Indicators notify when a hold or power failure has occurred.

** Power receptacles exposed to wet environments should be plugged into a GFI outlet with waterproof protective receptacle cover. Mount these scoreboards under protective overhang or covered area.



SCK102



SCK104



SCK106



SCK108



SCK109



SCK107



SCK116



SBSCK117



SCK119

Semi-Custom DIGI-DAY® Electronic Scoreboards


Identify safe days and motivate employees with a scoreboard featuring your company or department name.



- Choose style by part number.
- Provide custom name and color.
- Specify quantity.
- Place your order.



SCK154



SCK158



SCK149



SCK153

⚠ **WARNING:** Cancer – www.P65Warnings.ca.gov

Heat Stress Temperature Signs

Heat Stress Temperature Signs

An innovative way to alert employees of dangerous environment temperatures and remind them to avoid heat stress.

- Display temperature reading range is: -4° to 158°F / -20° to 70°C
- Can be set to display Celsius or Fahrenheit
- Bright LED display with 2 1/2"H numbers
- Available in two sizes: 28" x 20" x 1" and 18" x 12" x 1", both with aluminum construction
- Operates on 110/120 VAC with 8-ft. power cord and AC adapter
- Lightweight, sturdy aluminum construction features a low profile, 1-inch deep visual edge design
- Built-in hidden rear mounting brackets
- Protected by Sign Muscle™ Liquid Laminate



Additional stock messages available.
Heat Stress Signs may also be customized.




Digital Display Temperature Indicators



When the temperature reaches user specified setting, the display changes to red.



Digital display shows current safe temperature in green.



Chain of Events KPI-Boards


Chain of Events KPI-Boards focus on understanding the sequence of events leading to particular outcomes.

Key Features

- Dry erase boards available in 2 different designs.
- Board dimensions: 32"H x 48"W made of Ultra Aluma-Lite™.
- Includes 1 dry erase marker and eraser holder: 4 3/4"H x 3 5/8"W x 2"D.
- Use with dry erase markers to visibly provide metrics and indicate goals (dry erase marker set sold separately, pg 8).


Benefits

- Identifies potential hazards in a system or process.
- Helps improve risk management by providing a visual representation of factors contributing to a particular outcome.
- Provides a clear picture allowing for better decision making.
- Improves safety by identifying factors that could lead to hazardous conditions.




PBT513

CUSTOMIZE IT! Chain of Events KPI-Boards



Call us today!




PBT515

Ultra-Cling™ Document Holders

To order, add color code after part number: Blue – BU, Red – RD, Yellow – YL, Green – GN, Gray – GY, Orange – OR, Black – BK, Purple – PR, Brown – BR, White – WT.



To Fit Paper Size	1" Circle No.	Unit
8 1/2" x 11"	DTH217 (Landscape)	Each
8 1/2" x 11"	DTH219 (Portrait)	Each
11" x 17"	DTH218 (Landscape)	Each



WARNING: Reproductive Harm – www.P65Warnings.ca.gov

Dry Erase Whiteboards

Whiteboards include marker tray and factory mounted hangers.

- Light-duty, non-magnetic boards work well for easily sharing and changing messages.
- Features a satin aluminum frame and white melamine surface.

Size	No.	Unit
24" x 36"	DTE201	Each
36" x 48"	DTE203	Each
48" x 72"	DTE206	Each



Dry Erase Marker Set

Set includes:

- 4 Markers (blue, green, red, black)
- 1 Eraser
- 2 oz. Cleaning Spray



HMD109

WARNING: Reproductive Harm – www.P65Warnings.ca.gov

Custom KPI-Boards Visual Communication Centers

Enhance communication,
performance & engagement!

CUSTOMIZE IT! Unlimited choices for branding, size, color and more! **Call us today!**

Plastic Barricade Tapes

Bold warning message continuously repeated the length of the roll. 3" x 1000-ft.



CAUTION
MPT00



DANGER
MPT01



CAUTION DO NOT ENTER
MPT31



DO NOT ENTER
MPT11

Custom Messages Available. Contact us for details.



Wrap 'n Stick™ Tags

- Tags attach securely without fasteners
- Resilient, adhesive vinyl tags measure 12" x 3 1/8" and fold to 6" high
- Double-scored peel-and-stick liners



TAT113



TAT112



TAT116

Additional Stock Messages and Custom Available. Contact us for details.

BLOCKADE



PRC741YL

Stanchion Post & Chain

- Set up barrier quickly with plastic posts and chain to cordon off an area.
- 41" tall post & base, has 3" diameter post on 16" diameter base
- Hollow base can be weight filled for added stability
- 4.5" diameter ball top and C-Hook included
- Connect posts with lengths of plastic chain (sold separately) 2" plastic chain, sold separately



PRC202YL



PRC202RD

Bucket of Chain

- 5-gallon bucket with 100-ft. of chain
- Clip on lid prevents chain from falling back in

Chain Color

WHITE	YELLOW	BLACK	RED
PRC210WT	PRC210YL	PRC210BK	PRC210RD





Spring-Less Sign Stand

- Lightweight, tilt-adjustable design works on nearly any slope, angle, or grade
- Opens quickly and easily to a wide, 65 1/2" x 43", stable footprint
- Folds to compact size, 5 3/4" x 7 3/4" x 25 1/2"
- Weight: 21-lbs.
- For use with 36" or 48" diamond shaped roll-up construction signs with fiberglass cross-ribs (each sold separately below)

Roll-Up Construction Signs


- **Mesh Vinyl (MV)** - Non-reflective, ideal for daytime only applications
- **Fluorescent Vinyl (FL)** - Non-reflective, UV stable bright colored vinyl for daytime use only
- **Reflective Vinyl (RV)** - High-Intensity retro-reflective fiber reinforced nylon fabric, ideal for attention getting and low-light conditions
- **Diamond Grade (DG)** - Fluorescent prismatic reflective sheeting provides maximum brightness for daytime and nighttime applications



Warning Flags

Wave eye-catching signals to direct drivers and pedestrians.

- Brightly colored red-orange flags
- Vinyl or mesh styles available
- Mounted on 3/4" diameter wooden dowels
- Water-repellent



MATERIAL	NO.	SIZE	DOWEL
Vinyl	FSG181	18" x 18"	24"
Vinyl	FSG184	24" x 24"	36"
Vinyl	FSG160	18" x 18"	36"
Mesh	FSG192	18" x 18"	24"
Heavy-Duty Mesh	FSG196	18" x 18"	24"

Additional Stock Messages and Custom Available. Contact Your Distributor for Details.

*Roll-Up Construction Sign Overlays

Size A	Size B	500 FT
LEFT	LEFT	500 FT
for 36" FRC364 for 48" FRC486	for 36" FRC366 for 48" FRC488	for 36" FRC371 for 48" FRC492

Cross-Ribs

FITS SIGN SIZE	NO.
36" x 36"	FRC836
48" x 48"	FRC848

To Order Roll-Ups, add material code after part number

MATERIAL	CODE
Mesh Vinyl	MV
Fluorescent Vinyl	FL
Reflective Vinyl	RV
Diamond Grade	DG

Traffic Signs

- **Engineer-Grade Prismatic (RA)** - Good choice for added visibility in low-light conditions. Type I
- **High-Intensity Prismatic (HP)** - Better choice for greater visibility. 3X brighter than Engineer-Grade. Type III, IV, X



MATERIAL	SIZE	STOP	YIELD
RA	24" x 24"	MR1124	FRR424RA
HP	24" x 24"	FRR048	FRR424HP

MATERIAL	SIZE	DO NOT ENTER	SLOW
RA	24" x 24"	MR5124RA	FRW464RA
HP	24" x 24"	MR5124HP	FRW464HP
RA	30" x 30"	MR5130RA	—
HP	30" x 30"	MR5130HP	—

Speed Limit Signs

Insert speed (in increments of 5) to part number. Example **FRR2185RA**.

MATERIAL	SIZE	NO.
RA	18" x 12"	FRR218_RA
HP	18" x 12"	FRR218_HP
HP	24" x 18"	FRR224_HP



Additional Stock Messages and Custom Available.

U-Channel Posts and Mounting Hardware are Available Upon Request.



Paddle Signs

Direct and control traffic.

Paddle signs are printed on both sides - choose STOP on one side and SLOW on the other, or STOP on both sides

SIGN MATERIAL	SIGN SIZE	HANDLE LENGTH	HANDLE MATERIAL	STOP SLOW NO.	STOP STOP NO.
Hard Board	18"	10"	Wood	FSP181	FSP183
Aluminum	18"	6"	Steel	FSP152	FSP154
Aluminum	18"	60"	Wood	FSP153	FSP156
Reflective Aluminum	18"	60"	Wood	FSP175	FSP177
Reflective Aluminum	24"	60"	Wood	FSP190	—
High Intensity Aluminum	18"	60"	Wood	FSP185	FSP187



Back View



Front view

HSR270

Fence Sign Holder Bracket

Post your on a chain link fence.

- Can be mounted by one person from one side
- Constructed of heavy-duty galvanized steel
- Includes stainless steel bolt and nylon washer
- Works well for use with 3/8" sign mounting holes

BLOCKADE

Versatile Sign Stand

Safely and securely display signs anywhere around your facility with the Versatile Sign Stand.

Display any sign anywhere on our job site, indoors or outdoors. With the folding snap legs, you can instantly increase stability without worrying about potential trip hazards.

- Base is solid, heavyweight cast iron material, weighing 37-lbs.
- Foldable legs flip open to increase footprint from 18" to 36" for added stability
- Includes a 6-ft. 1 3/4" square galvanized steel post

DESCRIPTION	NO.
Base & 6-ft. Post	HSP820
Base Only	HSP821
6-ft. Post	HSP139
Wheel Accessory	HSP823



Sign sold separately



STOPOUT®

Steering Wheel Message Cover™

Prevent others from driving a vehicle that is disabled or undergoing maintenance.

- Flexible, reinforced vinyl cover
- Backside of upper half features a pocket that slips over the steering wheel
- Secure cover to steering wheel to prevent removal
- 3/8" metal grommeted hole at bottom accommodates 1 1/2" hasp with padlocks (sold separately)
- Octagon shape reinforces lockout status and conveys STOP

Additional Stock Messages and Custom Available. Contact us for details.




STOPOUT®

Group Lock Hasp

- Lock out equipment with up to 12 workers
- 7 1/4"H x 3 1/4"W hasp fits in the palm of the hand
- Lightweight, all-dielectric plastic design
- STOP-shaped octagon body holds locking arm in place

KDD106



STOPOUT®

Pneumatic End-Fittings Lockout

- Seven openings ranging from 9/32" – 1/2" diameter to fit most male and female pneumatic end fittings
- Constructed of polycarbonate with a steel hinge for tamper-resistance and durability
- Secure with padlock (sold separately, pg. 19)
- 3 3/4" x 3 1/4" x 1 7/8"

KDD480



STOPOUT®

Look 'n Stop Group Lock Boxes

- Look to view the keys and padlocks in a secure box that is shaped to say STOP
- Compact group lock box* is designed to be portable or mountable

ITEM	SIZE	NO.
Compact Group Lock Box*	7 3/4" x 7 3/4" x 4"	KCC620
Group Lock Box	13" x 13" x 3 1/2"	KCC624

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



STOPOUT®

Standard Lockout Kit

- 1 Lockout Box, Plastic, 18"L x 6 1/2"W x 4 3/4"H
- 2 Lockout Scissor Hasps, 1" opening
- 1 STOPOUT® Aluma-Tag™ Hasp, 1 1/2" Opening
- 3 Steel Padlocks (keyed differently), 3/4" Shackle
- 50 Labels for Padlocks
- 25 HS-Laminate Lockout Tags
- 2 STOPOUT® Circuit Breaker Lockouts
- 25 STOPOUT® Circuit Breaker Lockout Tab Tags
- 1 STOPOUT® StopPlug™ Multi-Plug Lockout

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Additional Lockout Kits Available to Accommodate any Number of Employees. Contact us for details.

STOPOUT®

Pry-Resistant Lock Box

Keep your group of employees safe from electrical hazards when they're performing service and/or maintenance.

Complies with the requirements for group lockout or tagout as set out in OSHA 29 CFR 1910.147(f)(3).

- Inner pry-resistant top with two clear panel windows provide visibility to the secured content
- Made of durable, powder coated steel for extra rust-resistance
- Accommodates up to 20 padlocks up to 1/4" shackle diameter
- Top key slot
- Dimensions: 4 3/4"H x 8"W x 4 5/8"D



Ladder Shield™

- Made of durable aluminum
- Fits most ladders
- Secure with cable-hasplike lockout and padlock (both included)
- Bold, bilingual warning message and tag provide additional visual deterrents
- Dimensions: 42"H x 13 1/4"W x 2 13/16"D
- Protected by Sign Muscle™ Liquid Laminate



Ladder Shield™ Kit includes:

- 1 Ladder Shield™
- 1 STOPOUT® Twist 'n Lock Cinch Lockout Hasp
- 1 Padlock with Key
- 5 Accident Prevention Tags

ITEM	NO.
Ladder Shield™ Kit	KLB426



ITEM	NO.
Replacement Lockout Hasp	KDD640

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



STOPOUT

Aluma-Tag™ Hasps

- Scissor-style hasp comprised of two high-strength .090" thick red anodized aluminum plates
- 6 3/4" x 3 1/8"
- Crossover jaw prevents prying and tampering.



⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Steel Hasps

- Hasp stays closed until last padlock is removed
- Red vinyl-coating
- Zinc-plated steel

OPENING	LENGTH	NO.
1"	4 1/2"	KDD107
1 1/2"	5"	KDD109



⚠ **WARNING:** Cancer and Reproductive Harm www.P65Warnings.ca.gov



STOPOUT

Circuit Breaker Lockouts

- Metal jaws secures with pump action handle, quick release tab for removal
- Easily apply with just one hand if needed
- Fits up to 9/32" dia. padlock shackles (sold separately, pg. 19)



ITEM	SIZE	NO.
Single Pole	15/16"W x 3 1/3"L x 1 1/2"D	KDD160
Double Pole	1 3/4"W x 3 1/3"L x 1 1/2"D	KDD161
Triple Pole	2 1/2"W x 3 1/3"L x 1 1/2"D	KDD162



KDD170

STOPOUT

Low-Profile Circuit Breaker Lockout

- Easily apply with just a standard flathead screwdriver
- Accommodates up to 9/32" dia. padlock shackles
- Fits most 120/240 circuit breaker sizes
- Single Pole 13/16"W x 3"L x 3/4"H

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

STOPOUT

Blind Flange Lockout

- Constructed of durable, high-impact plastic that withstands harsh environments
- Conceals flange bolts eliminating the opportunity to remove ALL bolts and blind
- Ideal for use in temperature of -4°F to 140°F
- Maximum shackle diameter 9/32"

KDD501 – Class 150 – Nominal Pipe Size = .5, .75, 1.0, 1.25, and 1.50
Class 300 – Nominal Pipe Size = .5, .75, 1.0, and 1.25

KDD502 – Class 150 – Nominal Pipe Size = 2.0, 2.50, 3, 3.5, 4.0, 5.0, 6.0, and 8.0
Class 300 – Nominal Pipe Size = 2.0, 2.50, 3, 3.5, 4.0, 5.0, and 6.0

KDD503 – Class 150 – Nominal Pipe Size = 10.0 and 12.0
Class 300 – Nominal Pipe Size = 8.0



CLASS 150 FITS NUT DIAMETER	CLASS 300 NUT DIAMETER	CLASS 150 PIPE DIAMETER	CLASS 300 PIPE DIAMETER	PIPE FLANGE WIDTH RANGE	NO.
.62" – .88" (15.74mm – 22.35mm)	.62" – .88" (15.74mm – 22.35mm)	.5, .75, 1.0, 1.25, and 1.50 (12.7, 19.05, 25.4, 31.75, and 38.1mm)	.5, .75, 1.0, & 1.25 (12.7, 19.05, 25.4, 31.75, and 38.1mm)	1-1/2" – 5-5/8" (38.1mm – 143.3mm)	KDD501
.75" – .88" (19.05mm – 22.35mm)	.75" – 1.00" (19.05mm – 25.4mm)	2.0, 2.50, 3, 3.5, 4.0, 5.0, 6.0, and 8.0 (50.8, 63.5, 76.2, 88.9, 101.6, 127, 152.4, and 203.2mm)	2.0, 2.50, 3, 3.5, 4.0, 5.0, and 6.0 (50.8, 63.5, 76.2, 88.9, 101.6, 127, and 152.4mm)	3-3/4" – 10-3/4" (95.3mm – 274.6mm)	KDD502
1" (25.4mm)	1" (25.4mm)	10" and 12" (254mm and 304.8mm)	8.0 (203.2mm)	7-3/4" – 17-7/8" (196.9mm – 447.8mm)	KDD503



STOPOUT®

Ball Valve Lockout

- Works with ball valve handles perpendicular or parallel to pipe
- Includes "Danger Locked Out" label
- Secure with padlock (sold separately, pg.19)

FITS BALL VALVE	OVERALL SIZE	NO.
3/8" – 1 1/4"	3 1/8" x 4 1/2" x 4 1/2"	KDD442
1 1/2" – 2"	4 1/2" x 5 2/3" x 5 2/3"	KDD440

Additional Labels Available. Contact us for details.



STOPOUT®

Gate Valve Lockouts

- Hinged clamshell housing fully encloses the valve handle and prevents access
- Includes "Danger Locked Out" label
- Secure with padlock (sold separately, pg.19)

FITS VALVE HANDLE DIA.	SIZE	NO.
1" – 2 1/2"	3" x 1"	KDD470
2 1/2" – 5"	5 1/2" x 2"	KDD471
5" – 6 1/2"	7" x 2"	KDD472
6 1/2" – 10"	10 1/2" x 3"	KDD473
10" – 13"	13" x 3 1/2"	KDD474

Additional Labels Available. Contact us for details.



STOPOUT®

Cinch Cable Lockout

- Unique, compact internal spooling feature stores cable when not in use
- When cable is cinched, device can be secured with a padlock (sold separately, pg. 19)
- Durable plastic, octagon-shaped device measures 3 1/3" x 4" x 1"
- 6-ft. cable included

ITEM	NO.
Cinch Cable Lockout	KDD630
15-ft. cable (separate)	KDD635

Additional Labels Available. Contact Your Distributor for Details.



STOPOUT®

StopPlug™ Lockout

- Multi-Plug fits most 110, 220, 550, or 600 VAC plugs
- 110 Plug fits most 110 VAC plugs
- Includes "Danger Locked Out" label
- Secure with padlock (sold separately, pg. 19)

STYLE	SIZE	NO.
110 Plug*	2 1/4"H x 2 1/4"W x 3 1/2"L	KDD225
Multi-Plug	3"H x 3"W x 6"L	KDD230

▲ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

STOPOUT®

Laminated Steel Padlocks

- Heavy-duty lock utilizes special coating for corrosion resistance
- 5-pin tumbler, drilling and pulling protected
- Lock measures in 1/4" shackle diameter and 13/16" apart steel shackle

To order, add color code after part number. Red – **RD**, Green – **GN**, Yellow – **YL**, White – **WT**, Black – **BK**, Blue – **BU**, Orange – **OR**, Purple – **PR**

Clearance Height	Keyed Differently	Keyed Alike	Keyed Differently Master Keyed*	Keyed Alike Master Keyed*
SHACKLE	NO.	NO.	NO.	NO.
Body Height = 1 1/2" Body Width = 1 1/2"				
3/4"	KDL905	KDL916	KDL943	KDL966
1 1/2"	KDL906	KDL917	KDL944	KDL967
2"	KDL907	KDL918	KDL945	KDL968
*Master Key (sold separately)		KDL939		



Available colors:



STOPOUT®

Plastic Body Aluminum Padlocks

- 6-pin cylinder for increased tamper resistance
- Key cannot be removed when padlock is unlocked
- Internal aluminum body constructed from at least 73% recycled aluminum and features FDA grade lubricants in the mechanisms
- Meets Lockout/Tagout requirements

To order, add color code after part number. Red – **RD**, Green – **GN**, Yellow – **YL**, Black – **BK**, Blue – **BU**, Orange – **OR**, Purple – **PR**, Brown – **BR**

Clearance Height	Keyed Differently	Keyed Alike	Keyed Differently Master Keyed*	Keyed Alike Master Keyed*
SHACKLE	NO.	NO.	NO.	NO.
Body Height = 1 3/4" Body Width = 1 1/2"				
1 1/2"	KDL816	KDL820	KDL882	KDL891
3"	KDL817	KDL821	KDL883	KDL893
Body Height = 3" Body Width = 1 1/2"				
1 1/2"	KDL818	KDL827	KDL884	KDL895
*Master Key (sold separately)		KDL859		



Available colors:



STOPOUT®

Anodized Aluminum Padlocks

- Constructed of lightweight premium aluminum with recycled content
- Non-sparking, non-magnetic, and corrosion-resistant
- 6-pin precision tumbler
- Designed for OSHA required identification, making them perfect for use in Lockout/Tagout situations
- 1/4" shackle diameter; 3/16" apart steel shackle

To order, add color code after part number. Red – **RD**, Green – **GN**, Yellow – **YL**, Silver – **SL**, Black – **BK**, Blue – **BU**, Orange – **OR**, Purple – **PR**, Brown – **BR**

Clearance Height	Keyed Differently	Keyed Alike	Keyed Differently Master Keyed*	Keyed Alike Master Keyed*
SHACKLE	NO.	NO.	NO.	NO.
Body Height = 1 1/2" Body Width = 1 1/2"				
1"	KDL660	KDL671	KDL682	KDL693
1 1/2"	KDL661	KDL672	KDL683	KDL694
3"	KDL662	KDL673	KDL684	KDL695
*Master Key (sold separately)		KDL609		



Available colors:





ONE-WAY™

Printed Welding Screens

Unique ONE-WAY™ printing method allows welders to see through the screen, while simultaneously protecting and informing employees on the other side.


Protection from harmful UV light, flash burn, sparks, fumes, and flying debris

Screens are available in sizes of 6-ft. x 6-ft., 6-ft. x 8-ft. or 6-ft. x desired length

Vinyl tint available in three colors – yellow, red, and blue

Durable translucent vinyl (NFPA 701 approved material) features hemmed edges with brass grommets

⚠ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



To order, add translucent vinyl color code after part number:
Yellow – **YL**, Red – **RD**, Blue – **BU**.



SIZE
6-ft. x 6-ft.
6-ft. x 8-ft.



6' x 6'
6' x 8' PWD108
 PWD110



6' x 6'
6' x 8' PWD112
 PWD114



6' x 6'
6' x 8' PWD100
 PWD102



6' x 6'
6' x 8' PWD128
 PWD130

Welding Screen Frames

- Available in 6-ft. x 6-ft., 6-ft. x 8-ft., and custom sizes
- Strong, sturdy, and durable 3/4" EMT conduit
- Easy to assemble

SIZE	NO.
6-ft. x 6-ft.	PWD300
6-ft. x 8-ft.	PWD302

Custom ONE-WAY™ Printed Welding Screens

- ✓ Same price as stock
- ✓ No Set-up Fees
- ✓ No Minimums
- ✓ Unlimited Colors, Logos, and Photos

SIZE	EACH
6-ft. x 6-ft.	Call for a Quote Today!
6-ft. x 8-ft.	Call for a Quote Today!



Engage, Motivate, And...

SAVE LIVES



Customize Your Job Site Safety Campaign

Not all protective equipment is worn, and signage often serves as the final layer of defense. It makes job site safety messaging essential. This underscores the importance of job site safety messaging that engages, motivates and protects. We approach your project with the highest level of seriousness, knowing that lives are at risk if safety messages are disregarded or fade into the background. With AccuformNMC, your tailored job site safety campaign is infused with the creativity it deserves, ensuring your team returns home to what matters most to them.

Custom Signs • Tags • Banners • Feather Flags • Posters

ACCUFORMNMC™
Justrite Safety Group

The Compliance Experts
Best in Class Customer Service
Trusted Safety Solutions That Fit

www.accuformNMC.com
800.237.1001