

OIL & GAS EXPRESS

SAFETY ID ESSENTIALS FOR PETROCHEM



Tags By-The-Roll

Tear- and water-resistant, PF-Cardstock tags are provided in a dispenser box allowing quick access anywhere that safety tags are needed.

*For more,
see page 6*



Safety Signs

Our signs are American-made and skillfully crafted using technologically advanced inks on quality materials suited for industrial environments.

*For more,
see page 9*



Man-Way Cross™ Barriers

Adjustable barriers block access to confined spaces while conveying vital safety requirements.

*For more,
see page 45*



Decibel Meter Signs

Signs that measure and visually display decibel levels to alert workers when hearing protection is required.

*For more,
see page 37*

Protected By Sign Muscle®



Sign Muscle® Liquid Laminate, pioneered by AccuformNMC, is scientifically powerful enough to protect the messages of over 90,000 products from harsh environments AND keep workers safe! Look for the icon identifying products protected by Sign Muscle®.

PERSONALIZE IT!

Make your custom vision a reality

Easy to start, easy to plan, easy to order



EXTRACTION

Perimeter signs, lease identification, general PPE signage, labels, tags, lockout devices and more



Page 9



PIPELINE/ TRUCKS

Pipeline identification, tags, DOT markings, lockout devices

Page 6



TANKER SHIPS

International Maritime Organization onboard safety signs, in-port MARSEC signs


Page 36



Oil & Gas

Identification Needs from Extraction to Point-of-Use

Keep production teams motivated and informed of safety requirements and status as soon as they enter the facility.



FUEL GAS →

WATER →

NATURAL GAS →

REFINING

Facility identification, perimeter signs, lockout/tagout, pipe markers, PPE signage, dispensers, banners, windsocks, and more

Page 18



NOTICE



HAZARD RATING
4 Extreme 1 Slight
3 Serious 0 Minimal
2 Moderate

DEPOT/ POINT-OF-USE

Tank identification, PPE signage, secondary container markings, flammable signage, and more

Page 24

Just Look for

PERSONALIZE IT!

Not sure where to start?

Our Team is ready to solve any of your identification problems. We're committed to offering you documented cost savings, and creative guidance so you can start standardization across your enterprise and reinforce your corporate branding and messaging.

Don't let materials or sizes limit you!

The possibilities are nearly endless. We can create completely unique visual messaging on a vast array of products in almost any material, size or shape.

Easy to start, easy to plan, easy to order!

Call or Email us with details about your unique identification needs, and our team of custom experts will make it happen:

ACCUFORMNMC™

Justrite Safety Group

www.accuformNMC.com

FL: 800.237.1001

customerservice@accuform.com

RI: 800.453.2727

quotes@nationalmarker.com

**1 FROM
IDEA**



2 TO PROOF



3 TO REALITY



Make your custom vision a reality

Safety Sign



Tags-By-The-Roll



Decibel Meter



Projector



Don't let materials or sizes limit you!

PERSONALIZE IT! Easy to start, easy to plan, easy to order

How to Order

1. Develop your Message and/or Layout
2. Select Materials & Colors
3. Size, Placement & Quantity
4. Send us your request

The Benefits

- No set-up fees
- Any lettering or font to fit your design
- Full-color graphics at no additional charge
- We can customize a wide range of our products

Call or Email Us

We will put your specifications together to create a custom product to meet your exact needs.

Tags By-the-Roll

Identify temporary hazards until it is eliminated, or the hazardous operation is completed.

- Identify temporary hazards until it is eliminated, or the hazardous operation is completed.
- Keep a large quantity of safety tags available and together for portability
- 6 5/8"H x 6 5/8"W x 3 5/8"D octagonal disposable, cardboard dispenser
- Pull out the 6 1/4"H x 3"W poly cardstock tag from the box, tear at perforation
- Scuff-resistant, matte surface writes on easily
- Comply with OSHA 29 CFR 1910.145 and ANSI Z535

Unit
Roll



TAR114 - 100/Roll
TAR125 - 250/Roll

General Safety



TAR104 - 100/Roll
TAR140 - 250/Roll



TAR110 - 100/Roll
TAR121 - 250/Roll



TAR118 - 100/Roll
TAR148 - 250/Roll



TAR412 - 100/Roll
TAR423 - 250/Roll



TAR130 - 100/Roll
TAR152 - 250/Roll

Lockout



TAR404 - 100/Roll
TAR472 - 250/Roll



TAR114 - 100/Roll
TAR125 - 250/Roll



TAR410 - 100/Roll
TAR478 - 250/Roll



TAR416 - 100/Roll
TAR426 - 250/Roll



TAR418 - 100/Roll
TAR480 - 250/Roll

Barricade & Scaffold



TAR136 - 100/Roll
TAR160 - 250/Roll



TAR128 - 100/Roll
TAR158 - 250/Roll



TAR112 - 100/Roll
TAR113 - 250/Roll



TAR101 - 100/Roll
TAR103 - 250/Roll



TAR109 - 100/Roll
TAR111 - 250/Roll

Inspection & Status Records



TAR159 - 100/Roll
TAR166 - 250/Roll



TAR712 - 100/Roll
TAR732 - 250/Roll



TAR708 - 100/Roll
TAR728 - 250/Roll



TAR703 - 100/Roll
TAR723 - 250/Roll



TAR714 - 100/Roll
TAR730 - 250/Roll



Compliance Counts:
OSHA/ANSI compliant Accident Prevention Tags

Loop 'n Lock™ Tie Tags

- Self-locking plastic tie strap is permanently attached to the tag
- 8" long, ribbed tie strap adjusts and locks securely
- Remove by cutting or excessive force, tie is 50-lb. pull rated
- 3/8" metal grommet reinforces the tie strap to the RP-Plastic Tag
- 5 3/4" x 3 1/4" tag body

WARNING:
Cancer and Reproductive Harm
www.P65Warnings.ca.gov

Unit
Pack 10


TAK607



Loop 'n Strap™ Tags

- Unique self-locking tab wraps around equipment, eliminating the need for additional ties.
- 5 1/4" x 3 1/4" tag body with the strap being 1 3/8"W x 6"L x 7/16" wide opening
- Single-sided printed message

Unit
Pack 25



TAL354

Safety Tags

Prevent accidents, protect equipment, and track inspections.

- **PF-Cardstock (CTP)** Pliable, (pulp-free) Polyolefin based material. Tear- and water-resistant for light duty, short-term use with 3/8" hole
- **RP-Plastic* (PTP)** Plastic tags are tear-resistant, weatherproof, and resistant to chemicals, grease, and dirt with 3/8" hole, reinforced by a pull-proof, metal grommet
- **Black Nylon Ties (HTT106)** (sold separately)
- 5 3/4" x 3 1/4"

WARNING:
Cancer and Reproductive Harm
www.P65Warnings.ca.gov

To order, add material code after part number.

Material	Unit
CTP	Pack 25
PTP	Pack 25



Compliance Counts:
OSHA/ANSI compliant Accident Prevention Tags

Box of Tags

- 5 3/4" x 3 1/4" tags available in tear-resistant and waterproof, PF-Cardstock material
- Each tag comes with a 3/8" plain hole
- Writable matte surface, ideal for writing with a pen or permanent marker

Unit
Box 50



TBX305



TBX301



TBX306



TBX308



TBX307

Scaffold Holders

Ensure workers are informed and protected by displaying the appropriate status tag whenever scaffolding is erected. Holder is made of durable ABS engineered plastic, and prominently displays "DO NOT USE" whenever a status tag is not in place.

- Holder sold individually, in packs of 10, and as a kit with tags & markers
- Color: White
- Hole Diameter: 2.34"

Item	No.	Unit
Scaffold Holder	TSS809	Each
Scaffold Holder	TSS809P	Pack 10

Scaffold Inspection Tags

- 7.63" x 3.25"
- Custom Tags Available

See SKU suffix to identify material options:

Code	Materials	Unit
CTP	PF-Cardstock	Pack 25
PTP	Plastic w/Grommet	Pack 25

See SKU suffix to identify material options:




TRS348CTP
(Blank Back)




TRS349CTP
(Blank Back)



TRS351CTP
(Blank Back)




TRS310PTP



TRS323PTP



TRS347PTP



Scaffold Tag Inspection Kit

Includes:

- 10 Holders
- 25 Green Tags
- 25 Yellow Tags
- 2 Permanent Markers

Unit
Kit



TSS302 (Plastic Only)



TSS301 (PF-Cardstock Only)



Compliance Counts:
OSHA/ANSI compliant Accident Prevention Tags

Safety Signs

Every sign we make is American-made and skillfully crafted with technologically advanced inks on quality materials to ensure you are receiving the quality signage you expect.

- **Adhesive Vinyl (VS)** – Ideal for indoor and sheltered outdoor marking needs. Flexible vinyl with a printed matte surface. Permanent adhesive back with peel-off liner.
- **Plastic (VP)** – Impact-resistant and pliable, plastic is durable for indoor and sheltered outdoor use. Print is protected by Sign Muscle® to guard against harsh abuse and even graffiti. Rounded corners with mounting holes.
- **Aluminum (VA)** – Ideal for tough indoor and harsh outdoor locations. Rigid aluminum provides metal strength without rust. Print is protected by Sign Muscle® to guard against harsh abuse and even graffiti. Withstands wash-downs, abrasion, and chemical splashes—rounded corners with mounting holes.



To order, add material code after part number.

Material	Unit
VS	Each
VP	Each
VA	Each



 7" x 10" MADM130 10" x 14" MADM006	 7" x 10" MCHL191 10" x 14" MCHL192 14" x 20" MCHL155	 7" x 10" MCPG101 10" x 14" MCPG104	 7" x 10" MCSP116 10" x 14" MCSP002	 7" x 10" MCSP140 10" x 14" MCSP141	 7" x 10" MCSP133 10" x 14" MCSP134
 7" x 10" MCSP019 10" x 14" MCSP018	 7" x 10" MCSP122 10" x 14" MCSP026	 7" x 10" MCRT101 10" x 14" MADM014	 7" x 10" MCHL224 10" x 14" MCHL226	 7" x 10" MADM138 10" x 14" MADM139	 7" x 10" MELC017 10" x 14" MELC018
 7" x 10" MELC275 10" x 14" MELC022	 7" x 10" MCRT147 10" x 14" MCSP188	 7" x 10" MFPR104 10" x 14" MFPR105	 7" x 10" MCRT013 10" x 14" MCRT008	 7" x 10" MCHL228 10" x 14" MCHL231	 7" x 10" MCHG101 10" x 14" MCHG102
 7" x 10" MCHL186 10" x 14" MCHG052	 7" x 10" MSMK254 10" x 14" MSMK246	 7" x 10" MSMK251 10" x 14" MSMK243	 7" x 10" MCHL241 10" x 14" MCHL245	 7" x 10" MCHL054 10" x 14" MCHL038	 7" x 10" MPPA004 10" x 14" MPPA005
 7" x 10" MCHL090 10" x 14" MCHL088	 7" x 10" MCHL091 10" x 14" MCHL092	 14" x 10" SBMCHL092 20" x 14" SBMCHL267	 7" x 10" MCHL269 10" x 14" MCHL285	 7" x 10" MCHL288 10" x 14" MCHL295	 7" x 10" MPPE219 10" x 14" MPPE218
 7" x 10" MCHG033 10" x 14" MCHG034	 7" x 10" MELC113 10" x 14" MELC114	 7" x 10" MELC127 10" x 14" MELC128	 7" x 10" MCPG019 10" x 14" MCPG020 14" x 20" MCPG010	 14" x 10" SBMCPG020 20" x 14" SBMCPG010	 7" x 10" MADM145 10" x 14" MADM146



Compliance Counts:
OSHA/ANSI compliant for Accident Prevention Signs



7" x 10" MEQM062
10" x 14" MEQM060



7" x 10" MSMK132
10" x 14" MSMK133



7" x 10" MSMK004
10" x 14" MSMK025



7" x 10" MSMK118
10" x 14" MSMK012



7" x 10" MADM292
10" x 14" MADM076



7" x 10" MCHL168
10" x 14" MCHL170



7" x 10" MSTF201
10" x 14" MCRT010



7" x 10" MCSP007
10" x 14" MCSP058



7" x 10" MEQM021
10" x 14" MEQM020



14" x 10" SBMCHG041



10" x 14" SBMCHG107
14" x 20" SBMCHG108



7" x 10" MEQD101
10" x 14" MCRT001



7" x 10" MCHL341
10" x 14" MCHL347



7" x 10" MCHL320
10" x 14" MCHL327



7" x 10" MCHL317
10" x 14" MCHL309



7" x 10" MECR304
10" x 14" MECR305



7" x 10" MRHZ307
10" x 14" MRHZ306



7" x 10" MELC636
10" x 14" MELC640



7" x 10" MPPE799
10" x 14" MPPA618



7" x 10" MCHL652
10" x 14" MCHL668
14" x 20" MCHL649



10" x 7" MRHL600
14" x 10" MRHL603



7" x 10" MECR631
10" x 14" MECR633



7" x 10" MEQC720
10" x 14" MEQC721



7" x 10" MPPE436
10" x 14" MPPA608



7" x 10" MVHR686
10" x 14" MVHR607
14" x 20" MVHR609



10" x 14" MCHL707



7" x 10" MELC642
10" x 14" MELC643



7" x 10" MCHL645
10" x 14" MCHL644



7" x 10" MCHL632
10" x 14" MCHL630



10" x 7" MRHL602
14" x 10" MRHL601



7" x 10" MCHL690
10" x 14" MCHL716



7" x 10" MCPG611
10" x 14" MCPG612
14" x 20" MCPG609



7" x 10" MELC600
10" x 14" MELC615



7" x 10" MECR620
10" x 14" MECR622
14" x 20" MECR621



7" x 10" MEQM617
10" x 14" MECR606
14" x 20" MECR623



14" x 10" MVHR636



7" x 10" MVHR680
10" x 14" MVHR687
14" x 20" MVHR688



10" x 14" MVHR634



10" x 14" MVHR612
14" x 20" MVHR696



7" x 10" MSTF646
10" x 14" MSTF648



7" x 10" MVHR631
10" x 14" MVHR633



7" x 10" MECR601
10" x 14" MECR605



7" x 10" MSTF645
10" x 14" MSTF661



10" x 14" MTKC814
14" x 20" MTKC818



7" x 10" MADC800
10" x 14" MADC801



7" x 10" MCHL827
10" x 14" MCHL828



7" x 10" MCHL821
10" x 14" MCHL833



7" x 10" MRST811
10" x 14" MRST805







Compliance Counts:
OSHA/ANSI compliant for Accident Prevention Signs

Safety Signs, continued

To order, add material code after part number.

Material	Unit
VS	Each
VP	Each
VA	Each



Safety Labels

- Moisture-resistant
- Ideal for indoor or sheltered environments
- Available in Adhesive Vinyl (VSP) packs of 5

To order, add material code after part number.

Material	Unit
VSP	Pack 5



Compliance Counts:
OSHA/ANSI compliant for Accident Prevention Signs



Heavy-Duty Floor Marking Strips

The best choice for superior durability, performance, and easy-to-apply Floor Marking solutions for your industry!

Durable strips stand up to everyday floor abuse, including forklift traffic.

- Strips are made with 55-mil thick polyethylene with an aggressive polypropylene adhesive backing
- Beveled edges reduce tears and lifts from pallet dragging
- Full adhesive back forms a solid bond, eliminating liquid from seeping underneath
- Easily applies and bonds to a variety of clean sealed, and non-coated surfaces
- 48-inch long strips allow you to keep lines straight
- Strips are easily trimmed to needed length or to create corners
- Perfect for the Set in Order phase of 5S implementations
- Service temperature range: -90°F to 168°F
- Additional colors available



2" x 48" **PTP202YL**

Part No.	Color	Size	Unit
PTP202GN	GREEN	2" x 48"	Pack 10
PTP202RD	RED	2" x 48"	Pack 10
PTP202YL	YELLOW	2" x 48"	Pack 10



3" x 48" **PTP203RD**

Part No.	Color	Size	Unit
PTP203GN	GREEN	3" x 48"	Pack 10
PTP203RD	RED	3" x 48"	Pack 10
PTP203YL	YELLOW	3" x 48"	Pack 10



4" x 48" **PTP204GN**

Part No.	Color	Size	Unit
PTP204GN	GREEN	4" x 48"	Pack 10
PTP204RD	RED	4" x 48"	Pack 10
PTP204YL	YELLOW	4" x 48"	Pack 10



PERSONALIZE IT!

Contact us for Custom print, size, and shape Tough-Mark™ Strips



LED Virtual Sign Projector

The ideal solution for high-traffic areas. Project safety message/image onto floor or wall surface, in walkways, drive lanes, work areas, and entry points.

- Projector contains CREE high power LED chip, long-life 50,000 hr. energy-efficient LED bulb
- Projector includes interchangeable lens disc insert (additional lenses sold separately)
- Integrated cooling fan designed to prevent overheating
- Remote control & mounting kit included
- IP65 rated for damp environments.* CE and RoHS certified
- 9" x 6" x 5" projector housing case is heavy-duty cast aluminum
- Operates on 110V with 3 ft. power cord and 3-prong plug
- Not recommended for outdoor use.



Unit
Each



Projector & Lens
Lens Only

VSP1
VSPL1



Projector & Lens
Lens Only

VSP2
VSPL2



Projector & Lens
Lens Only

VSP3
VSPL3




Projector & Lens
Lens Only

VSP4
VSPL4

Distance Chart

Image size determined by distance from the projector



Walk-On Slip-Gard™ Floor Signs

- Vinyl sign is overlaminated with a protective, non-slip, pebble-textured vinyl surface
- Message is protected from heavy pedestrian traffic
- Strong, permanent acrylic adhesive back with peel-off liner
- 17" Diameter

Unit
Each



MFS727



MFS779



MFS721



MFS1717



MFS773



MFS702



MFS725



MFS2317



MFS2217



MFS2817

Walk-On Slip-Gard™ Floor Marking Kits

- Includes eight piece pre-cut border and 12" x 12" diamond floor sign
- Non-slip textured surface
- Configurable in 4-ways to meet your unique needs



Unit
Kit



Pre-Cut Assortment Pack



WFK01



WFK05



WFK07




WFK11




WFK09



Configurable in Four Ways!



36" x 24"




36" x 36"



30" x 24"*

* Shown above



30" x 36"





Container Tags

- High impact and chemical resistant polycarbonate
- Two-ply tags are subsurface printed with UV-resistant inks
- Measures 2" x 5" and has 1/4" rounded corners with 3/8" hole



TCH204



TCH208



TCH206



TCH202

Unit

Each

⚠ **WARNING:** Reproductive Harm – www.P65Warnings.ca.gov



Container Labels

- Self-adhesive, poly-composite with UV protective coating
- Resists abrasions, humidity, chemicals, and solvents
- Permanent, acrylic adhesive

Unit

Pack 5



3" x 7" LCHL566 VSP



3" x 7" LCHL532 VSP



2" x 5" LCHL545 VSP



3" x 7" LCHL586 VSP



3" x 7" LCHL558VSP



2" x 5" LCPG502 VSP



2" x 9" LCHL579 VSP

Isolation Blind Tags

- Plastic material measures 2" x 21"
- Includes a 3/8" metal grommet
- Alert workers to location of blinds installed during maintenance or lock out

To order, add pack code after part number.

Materials	Unit
PTM	Pack 5
PTP	Pack 25

⚠ **WARNING:**

Cancer and Reproductive Harm
www.P65Warnings.ca.gov

◦ **INSTALL BLIND HERE**

MDT503

◦ **ISOLATION BLIND**

MDT507

◦ **BLIND INSTALLED**


MDT509

◦ **CONFINED SPACE BLIND**

MDT504

◦ **DO NOT OPERATE**

MDT510





Custom Vehicle Signs

Create an impactful solution to identify your fleet vehicles with your exclusive company information. Photographic-quality digital printing affords unlimited colors.

- **Magnetic Co-Poly Vinyl (MG)** Ideal for vehicles, large equipment, metal storage units, and most steel or ferrous metal surfaces. Protected by Sign Muscle®



Size	Mg	Unit
12" x 18"	MG1218	Each
12" x 24"	MG1224	Each
14" x 20"	MG1420	Each
18" x 24"	MG1824	Each

Custom See-Thru Glass-Graphics™

- Unique perforated white/black flexible vinyl conforms to curved surfaces
- 70/30 vinyl perforation pattern yields 70% material for optimal viewing of the printed image

Custom	Unit
WDW555	Each



Truck and Trailer Labels

Available individually in Adhesive Vinyl (VSE) or Reflective Sheet (RFE) only.

To order, add material code after part number.

Material	Unit
VSE	Each
RFE	Each



10" x 14" **LVHR610**
12" x 18" **LVHR614**



7" x 10" **LVHR559**
10" x 14" **LVHR561**



10" x 14" **LVHR617**



2" x 24" **LVHR620**



4" x 24" **LVHR609**



14" x 10" **LVHR616**
18" x 12" **LVHR618**



10" x 14" **LVHR563**



10" x 14" **LVHR615**



8" x 36" **LVHR505**



10" x 14" **LVHR568**



10" x 14" **LVHR303**



4" x 12" **LVHR525**

Vehicle Labels



3 1/2" x 5" **LVHR520VSP**



3 1/2" x 5" **LVHR565VSP**



3 1/2" x 5" **LVHR560VSP**



3 1/2" x 5" **LVHR518VSP**



3 1/2" x 5" **LVHR512VSP**



3" x 7" **LVHR537VSP**



3" x 7" **LVHR552VSP**



3" x 7" **LVHR557VSP**

Unit
Box Pack 5



Safety Hard Hat Stickers

- Waterproof
- Self-adhesive back with peel-off liner
- 2 1/4" diameter



LHTL346



LHTL350



LHTL114



LHTL336



LHTL208



LHTL342



LHTL198
2.25" x 1.5"



LHTL168



LHTL158



LHTL180

Unit
Pack of 10

Worker Emergency ID

- Made with 3M Scotch-lite® Reflective Material
- Affixes safely to the exterior of worker's hard hat or clothing
- 100% waterproof ID card has ample amount of space to write on



Size	No.	Unit
1/2"H x 2 3/4"W	LHTL674	Pack 25
3/4"H x 3 1/4"W	LHTL676	Pack 25

Flag Helmet Stickers

- Adhesive vinyl material
- Labels are flexible to conform to the curve of a hard hat
- Waterproof
- Permanent adhesive back with peel-off liner



Size	USA No.	Canada No.	Mexico No.	Unit
1" x 1 3/4"	LHTL366	LHTL391	LHTL375	Pack 10
1 1/2" x 3"	LHTL201	LHTL393	LHTL377	Pack 10
2" x 4"	LHTL364	LHTL395	LHTL379	Pack 10

Retro-Reflective Hard Hat Stickers

- Permanent self-adhesive back with peel-off liner.
- 1" x 4"

Unit
Sheet 16



Fluorescent Lime Green Yellow
LHR104GNYL



Fluorescent Red Orange
LHR104RDOR



White
LHR104WT



Blue
LHR104BU



Red
LHR104RD

In Case of Emergency (ICE) Hard Hat Labels

- Record emergency information on vinyl self-laminating Hard Hat Labels
- 1 1/2" x 6"



LHTL250



LHTL251

Unit
Pack 5

Banana-Brim Grinding Catcher

- Can be applied to either top or bottom of brim
- Made of durable, flexible magnetic copolymer vinyl
- Attract small, loose airborne ferrous-metal particles
- 1 3/4"H x 7 3/4"W with adhesive back

Type	No.	Unit
Safety First	LHB750	Each
Blank	LHB753	Each



WARNING: Reproductive Harm – www.P65Warnings.ca.gov

Pipe Markers

Pipe markers visibly identify contents, flow direction and hazard classification.



Compliance Counts: ASME A13.1 Compliant - Identifying Piping Systems

ASME A13.1 Scheme for the Identification of Piping Systems "...a uniform system for the identification of piping contents has been established to warn personnel when the piping contents are inherently hazardous... this standard has been prepared to specify the identification of the contents of piping systems on the basis of legends, it also suggests the use of color as a supplementary means of identifying the type of hazard of the material contained in the system."

How to Order

1. Legend

Find Legend: **RPK345**

GAS

2. Material

Select Material and Size Code:

SSA - Self Stick, 3/4" to 1 1/4"

3. Color Code

Add Code to Legend No: **RPK345SSA**

Legend	No.
ACETYLENE GAS	RPK103
AIR	RPK123
AIR RETURN	RPK125
AMMONIA	RPK137
ARGON	RPK143
ASBESTOS FREE INSULATION	RPK147
BREATHING AIR	RPK173
CARBON DIOXIDE	RPK179
CAUSTIC	RPK185
CHILLED WATER RETURN	RPK201
CHILLED WATER SUPPLY	RPK203
CHLORINE	RPK207
COLD WATER	RPK217
COLD WATER SUPPLY	RPK223
COMPRESSED AIR	RPK225
COMPRESSED AIR	RPK227
CONDENSATE	RPK229
COOLING WATER	RPK247
COOLING WATER RETURN	RPK249
DEIONIZED WATER	RPK253
DEIONIZED WATER SUPPLY	RPK257
DIESEL OIL	RPK259
ELECTRIC TRACED	RPK305
FEED	RPK311

Legend	No.
FIRE MAIN	RPK321
FUEL GAS	RPK333
FUEL OIL	RPK337
GAS	RPK345
GASOLINE	RPK351
GLYCOL	RPK359
GLYCOL RETURN	RPK365
GLYCOL SUPPLY	RPK371
HIGH PRESSURE GAS	RPK403
HIGH PRESSURE STEAM	RPK413
HIGH PRESSURE NATURAL GAS	RPK419
HOT	RPK421
HOT WATER	RPK423
HYDRAULIC OIL	RPK443
HYDROGEN	RPK453
INSTRUMENT AIR	RPK469
INSTRUMENT AIR	RPK471
LOW PRESSURE NATURAL GAS	RPK491
LOW PRESSURE STEAM	RPK499
LUBE OIL	RPK503
MIXED GAS	RPK521
NATURAL GAS	RPK523
NITROGEN	RPK533
NON-POTABLE WATER	RPK541

Legend	No.
OIL	RPK543
OXYGEN	RPK551
PLANT AIR	RPK563
PLANT WATER	RPK565
POTABLE WATER	RPK575
PROPANE GAS	RPK585
RETURN	RPK611
SALT WATER	RPK619
SOAP	RPK641
SPRINKLER FIRE	RPK663
SPRINKLER WATER	RPK665
STEAM	RPK667
STEAM SUPPLY	RPK671
SUPPLY	RPK689
TREATED WATER	RPK711
VACUUM	RPK717
WASTE WATER	RPK729
WATER	RPK735
→	RPK759
→	RPK761
→	RPK763
→	RPK765
→	RPK767
→	RPK769

Directional Flow Arrow Tape

Provide 360° visibility for flow direction with printed arrows repeated the entire tape length. Tape has self-adhesive back. Available in standard ANSI colors. Available wound in 54-ft. rolls.

To order, add color code after the part number. Available colors:

BKOR - Black/Orange **BKYL** - Black/Yellow,
GNWT - Green/White **BUWT** - Blue/White,
RDWT - Red/White **WTBR** - White/Brown



Order #	Size	UOM
RAW252	1" x 54-ft.	Roll
RAW254	2" x 54-ft.	Roll
RAW258	4" x 54-ft.	Roll

Materials



Snap Tite™

Ideal for use on less-than-perfect pipe surfaces.

- Pre-coiled, heavy-gauge 20-mil rigid vinyl plastic is light weight, yet durable to withstand tough industrial environments
- Marker 'snaps' around to fit 360° over pipe
- Easy to remove and reapply
- Service temperature range: -4° to 158°F (not recommended for hot pipes)

Size Code	Pipe Diameter	Marker Size
STA	3/4" to 1 1/4"	6" x 8"
STB	1 1/2" to 2"	9" x 8"
STC	2 1/4" to 3"	14" x 12"
STE	3 1/4" to 5"	19" x 12"
STF	5 1/4" to 6"	25" x 12"

*Has self-adhesive leading edge for secure fit



Self-Stick Vinyl

Displays printed legend with detachable arrow for proper directional flow marking.

- Adhesive vinyl resistant to withstand harsh environments.
- High-tack, acrylic adhesive back with peel-off liner
- Adhere to clean, smooth pipe surface
- Service temperature range: -20° to 176°F

Size Code	Pipe Diameter	Marker Size
SSA	3/4" to 1 1/4"	1" x 8"
SSB	1 1/2" to 2"	1 1/2" x 8"
SSD	2 1/2" to 6"	2 1/2" x 12"
SSH	8" to 10"	4" x 24"

Custom GHS Labels

Use labels to convey hazard class information in accordance with the Globally Harmonized System (GHS).

Labels follow the information guidelines specified by the GHS and must include OSHA's required label elements. For GHS and DOT pictogram combination labels, larger label sizes are recommended. The DOT requires that transport pictograms be at least 4" x 4". OSHA publishes no size requirements for the GHS label or GHS pictograms, but it is recommended the label elements be proportionate to each other.



Required Label Elements

Format 1

Custom GHSPictogram Label

1
ACETONE

CAS Number: 67-64-1
Category 2 Flammable Liquid and
Category 2A Eye Damage/Irritation

DANGER

Highly flammable liquid and vapor.
Causes severe eye irritation.

Keep away from heat, sparks and flame - No smoking. Take precautionary measures against static discharge. Keep from direct sunlight. Keep container closed when not in use. Store in a cool/low temperature, well-ventilated place away from heat and ignition sources. Use only in a well-ventilated area. Avoid contact with eyes, skin and clothing. Wear appropriate personal protective equipment, avoid direct contact. Flush eyes with water for at least 15 minutes while holding eyelids open.

Company Name: _____
Address: _____
City: _____ State: _____ Zip: _____ Telephone: _____

Format 2

Custom GHS and DOT Pictogram Combination Label

CAS Number: 67-64-1
ACETONE

Danger

Highly flammable liquid and vapor.
Causes severe eye irritation.

Company Confidential
1234 First Avenue
Any Town, Any State 12345
Phone Number: 123-456-7891

Fill weight: 10 lbs.
Gross weight: 21 lbs.
Expiration: 5/13/14
Lot Number: 012456
Fill Date: 8/14/12

Keep away from heat, sparks and flame - No smoking. Take precautionary measures against static discharge. Keep from direct sunlight. Keep container closed when not in use. Store in a cool/low temperature, well-ventilation place away from heat and ignition sources. Use only in a well ventilated area. Avoid contact with eyes, skin and clothing. Wear appropriate personal protective equipment, avoid direct contact. Flush eye with water for at least 15 minutes while holding eyelids open.

1

Product Identifier

Should match the product identifier used on the Safety Data Sheets.

3

Pictograms

Graphic compositions intended to convey specific hazard information.

2

Signal Word

Indicates the relative level of the hazard's severity. "Danger" and "Warning" are the GHS signal words.

4

Hazard Statements

A phrase assigned to a hazard class and category that describes the nature of the product hazards.

5

Precautionary Statements

Describe recommended measures to minimize or prevent adverse effects resulting from exposure.

6

Supplier Identification

The name, address, and telephone number of the manufacturer or supplier.

Adhesive Dura-Vinyl™ (XV)

- Printed image protected by clear poly overlamine from moisture, chemical splash, and abrasion
- Permanent acrylic adhesive backing
- Durability: 5-7 years outdoors
- Scored backing for quick peel-off and application
- Service temperature range: -40° to 176°F

Actual label design and layout may vary and are subject to the discretion of the competent authority.

Note: You are required to provide all necessary information specific to your hazardous chemical or material to complete an accurate and safe label for your premises. Please refer to the chemical's Safety Data Sheet.

Quantity Breaks Available.

Size	No.	Unit
3 1/2" x 5"	LZH470	Each
5" x 7"	LZH471	Each
7" x 10"	LZH472	Each
9" x 12"	LZH473*	Each
10" x 14"	LZH476*	Each
other size	LZH455	Each

*Sizes recommended for combination labels

Custom Hazard Communication Notification Signs

How to Build Your Hazard Communication Notification Sign

1. Choose Your Format

NFPA- and HMCIS-style customizable templates are available. Choose which works best for your specification needs. Provide us your requirements if you want to modify any information.

Fill in the Blanks Using Guide Below

Provide us all the necessary information relating to your hazardous chemical.

- | | |
|---|--|
| 1 Chemical Name | 11 Effect on Target Organ |
| 2 CAS No. | 12 First Aid Procedures |
| 3 UN No. | 13 Precautions |
| 4 D.O.T. Classification | 14 Emergency Response |
| 5 Health Level | 15 Emergency Contact # (Fire) |
| 6 Flammability Level | 16 Emergency Contact # (Security) |
| 7 Instability Level | 17 Emergency Contact # (Medical) |
| 8 Specific Hazard | 18 Signal Word |
| 9 Required Personal Protective Equipment | 19 Statement of Hazard |
| 10 Target Organ | |



2. Decide on the Sign Size

Standard sizes are listed with each of the formats by part number. If you need a different size, provide us with your sign dimension requirements.

3. Determine the Sign Material to Complete Your Order – See page 22

Ask yourself where you will place your sign, how long it will be used, and what kind of elements it will need to withstand. We offer materials for light-duty applications and for harsh environments.


Note: You are required to provide all necessary information specific to your hazardous chemical or material to complete an accurate and safe label for your premises. Please refer to the chemical's Safety Data Sheet.

ANSI Z129.1 Right-To-Know (RTK) Format

Meet the precautionary marking standard for chemical containers.

The elements included in the format are: the chemical name in bold, reverse type; Chemical Abstract Service (CAS) number; NFPA 704 diamond system; signal word; hazard statements; precautionary measures; first aid procedures; emergency response procedures; contact names; and phone numbers.

Size	No.	Unit
5" x 7"	ZRM	Each
7" x 10"	ZRA	Each
10" x 14"	ZRB	Each
14" x 20"	ZRC	Each
20" x 28"	ZRJ	Each



Indicate: 1, 2, 5, 6, 7, 8, 12, 18, 19



Example

For sign material choices and order information, see page 22

NFPA Format 1

- Uses NFPA 704 Diamond System with quadrants and rating codes defined
- Personal Protective Equipment symbols for quick comprehension
- Precautions help avoid known hazards
- First Aid explains how to respond when in contact with hazard
- Your phone numbers provide quick access in an emergency

Size	No.	Unit
10" x 7"	ZNR1	Each
14" x 10"	ZNY1	Each
20" x 14"	ZNW1	Each
28" x 20"	ZNZ1	Each

Indicate: 1, 5, 6, 7, 8, 9, 12, 13, 15, 16, 17

Example

HMCIS Format 1

- DOT and HMCIS classification information in an easy to understand format
- Personal Protective Equipment and Target Organs uses symbols for quick understanding without searching through wording
- First Aid explains how to respond when coming in contact with the hazard
- Precautions point out how to stay clear of known hazards
- Spills and Leaks summarizes important information in the event of an emergency

Example

Indicate: 1, 2, 3, 4, 5, 6, 7, 9, 10, 11, 12, 13, 14

NFPA Format 2

- Uses NFPA 704 Diamond System with the quadrants identified and the rating codes defined
- Personal Protective Equipment uses symbols for quick understanding without searching through wording
- Chemical name and CAS number are in bold large type prominently occupying the right corner of the sign

Size	No.	Unit
7" x 10"	ZNA2	Each
10" x 14"	ZNB2	Each
14" x 20"	ZNC2	Each
20" x 28"	ZNJ2	Each

Example

Indicate: 1, 2, 5, 6, 7, 8, 9

HMCIS Format 2

- Uses HMCIS Placarding systems
- Personal Protective Equipment uses symbols for quick understanding without having to search through wording
- Chemical name and CAS number are in bold large type and located at the top of the sign or label

Size	No.	Unit
10" x 7"	ZHR2	Each
14" x 10"	ZHY2	Each
20" x 14"	ZHW2	Each
28" x 20"	ZHZ2	Each

Example

Indicate: 1, 2, 5, 6, 7, 9

For sign material choices and order information, see page 22

Choose Your Sign Material

To order, add material code after part number:

Accu-Shield™ – AS, Aluma-Lite™ – XL, Dura-Plastic™ – XT, Adhesive Dura-Vinyl™ – XV.



Accu-Shield™ (AS)

- Two-ply, polycarbonate plastic with industrial-strength backing
- Resists fading, chemicals, corrosion, abrasions, cracking, and chipping
- Non-glare subsurface print encapsulated by permanently bonded smooth vinyl
- Rounded corners and 1/4" mounting holes on most sizes, will be adjusted for larger sizes
- Service temperature: polycarbonate at -60° to 260°F; backing -40° to 176°F

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Aluma-Lite™ (XL)

- Resists impacts, flexing, vandalism, corrosion, chemicals, abrasions, and more
- Material is 40% lighter than solid aluminum, yet maintains the same durability and rigidity
- Printed surface protected by Sign Muscle®
- Service temperature range: -40° to 176°F



Dura-Plastic™ (XT)

- Semi-rigid polycarbonate protected by Sign Muscle® Liquid Laminate
- Resists abrasion, humidity, and chemicals
- Rounded corners and 3/16" mounting holes on most sizes, will be adjusted for larger sizes
- Service temperature range: -50° to 190°F



Adhesive Dura-Vinyl™ (XV)

- Printed image protected by clear poly overlaminate from moisture, chemical splash, and abrasion
- Permanent acrylic adhesive backing
- Durability: 5-7 years outdoors
- Scored backing for quick peel-off and application
- Service temperature range: -40° to 176°F

Note: You are required to provide all necessary information specific to your hazardous chemical or material to complete an accurate and safe label for your premises. Please refer to the chemical's Safety Data Sheet.

PERSONALIZE IT! Custom Signs Made Easy

How to Order

1. Develop Message
2. Select Materials & Colors
3. Size & Placement
4. Send us your order

The Benefits

- No set-up fees
- Any lettering or font to fit your design
- Full-color graphics at no additional charge

Call or Email Us

We will put your specifications together to create a custom sign to meet your exact needs.


Blank NFPA Placards & Self-Adhesive Hazard Panels

- Placards are printed with the proper color coding using UV stable inks
- Write in the numbers & symbols or use pre-printed number & symbol hazard panels
- Hazard panels are clear, self-adhesive polypropylene
- Kits include: 1 blank placard, 15 numbers (three sets of 0-4), 7 hazard symbols, and 1 NFPA Wallet Guide



ZFD515XT Placard Kit shown

Hazard Panels



NFPA Blank Placards & Placard Kits

NFPA placards are available blank or as part of a kit that includes 15 numbers (three sets of 0-4), seven Specific-Hazard symbols, and NFPA Wallet Guide.

Dura-Plastic™ and Aluminum are protected by Sign Muscle®.



Material	Blank Placards		Kits	
	No.	Unit	No.	Unit
4" x 4" Placard				
Adhesive Vinyl	MBLEV4	Each	ZFD404EV	Kit
6" x 6" Placard				
Adhesive Vinyl	MBLEV6	Each	ZFD606EV	Kit
Magnetic Vinyl	ZFD600MG	Each	ZFD606MG	Kit
Dura-Plastic™	ZFD600XT	Each	ZFD606XT	Kit
10" x 10" Placard				
Adhesive Vinyl	MBLEV10	Each	ZFD101EV	Kit
Magnetic Vinyl	MBLMG10	Each	ZFD101MG	Kit
Dura-Plastic™	ZFD100XT	Each	ZFD101XT	Kit
Aluminum	ZFD100PA	Each	ZFD101PA	Kit
15" x 15" Placard				
Adhesive Vinyl	MBLEV15	Each	ZFD515EV	Kit
Magnetic Vinyl	MBLMG15	Each	ZFD515MG	Kit
Dura-Plastic™	ZFD151XT	Each	ZFD515XT	Kit
Aluminum	ZFD151PA	Each	ZFD515PA	Kit



Don't see what you need?

Call us today for more options and customization!

Individual Hazard Panels*

*To order, add symbol or number code to the part number.

Example: NAP120SA (.50" symbol, Simple Asphyxiant)

Use No Water WTR	Oxidizer OXY	Simple Asphyxiant SA	Radiation Hazard RAD	Corrosive COR	Acid ACD	Alkali ALK
Character Height		Character Style	No.	Unit		
For use with 4" placard						
1.33"		Number	NAP111*	Each		
.50"		Symbol	NAP120*	Each		
For use with 6" placard						
2.29"		Number	NAP131*	Each		
.70"		Symbol	NAP140*	Each		
For use with 10" placard						
3.87"		Number	NAP151*	Each		
1.39"		Symbol	NAP160*	Each		
For use with 15" placard						
5.78"		Number	NAP171*	Each		
2.13"		Symbol	NAP180*	Each		

NFPA Placard Floor Kits

- Hazard Panels: Black on clear, self-adhesive polyester
- Clear vinyl overlamine cover with non-slip surface to protect in high-traffic and harsh environments



Placard Size	Overlamine Size	Character Height	No.	Kit
6" x 6"	10"	1 5/8"	MNFPAFS10	Each
10" x 10"	17"	4"	MNFPAFS17	Each



Compliance Counts:

OSHA Hazard Communication compliant

NFPA Placard Signs


Placard Signs display the four-color NFPA diamond format for the hazard categories. Blank signs are available, allowing you to fill in hazard rating numbers and symbols. Kit contains sign and adhesive numbers and symbols - printed black on clear polyester to fit the hazard panels.

To order, add material code after part number.

Material Code	Description
VS	Adhesive Vinyl
VP	Plastic
VA	Aluminum

Plastic – VP and Aluminum – VA signs are protected by Sign Muscle®. Other material: Adhesive Vinyl - VS

NFPA Hazardous Materials Classification



Sign Only
10" x 7" ZFD870
14" x 10" ZFD878

Sign Kit
10" x 7" ZFD881
14" x 10" ZFD889




Bilingual Spanish

Sign Only
10" x 7" SBZFD870
14" x 10" SBZFD878

Sign Kit
10" x 7" SBZFD881
14" x 10" SBZFD889

NFPA Notice Chemical Hazard



Sign Only
10" x 7" ZFD806
14" x 10" ZFD807

Sign Kit
10" x 7" ZFD814
14" x 10" ZFD837

NFPA Notice Hazard Rating



Sign Only
10" x 7" ZFD801
14" x 10" ZFD802

Sign Kit
10" x 7" ZFD812
14" x 10" ZFD816

Each kit includes:

- One sign
- 15 numbers (three sets of 0-4)
- Specific hazard symbols (OX, W, SA, ACID, COR, ALK, and the Radiation Symbol)
- NFPA wallet guide



Sign Size	Diamond Size	Char. Size
10" x 7"	2 3/4" x 2 3/4"	1.25"
14" x 10"	4" x 4"	1.5"

* ⚠ WARNING: Cancer – www.P65Warnings.ca.gov

NFPA Flip Placard Sign

- Aluminum flip panels display the hazard rating required by NFPA 704
- 15 1/2" x 15 1/2" sturdy, aluminum protected by Sign Muscle®
- .120" clear plastic face fits over placard with center screw
- Four 3/16" corner mounting holes



ZPF125




Unit
Each



Chemical Identification NFPA Flip Placard Sign

- NFPA Flip Placard Sign is mounted onto a 30"H x 24"W aluminum backplate protected by Sign Muscle®
- Slide in a removable 5"H x 24"W Dura-Plastic™ chemical nameplate on the top
- Four 1/4" corner mounting holes, plus two 3/8" post-mount holes for backplate



ZPF236



PPN524

When ordering, please specify chemical name for nameplate.


Item	No.	Unit
Flip Placard Sign	ZPF236	Each
Additional Chemical Nameplate	PPN524	Each



Compliance Counts:
OSHA Hazard Communication compliant

NFPA Diamond Roll Labels

- Consists of four quadrants in the NFPA format and colors
- Fill in each diamond with hazard code and symbol



2" x 2"
4" x 4"
6" x 6"

LZN631
LZN633
LZN635

To order, add material and package quantity code after part number.

Material	Code	Unit
Adhesive Coated Paper	PS2	Roll 250
Adhesive Coated Paper	PS5	Roll 500
Adhesive-Poly	EV2	Roll 250
Adhesive-Poly	EV5	Roll 500

NFPA Classification Diamond Roll Labels

- A quick way to reference the codes
- NFPA diamond format and colors with respective hazard codes and list of symbols



2" x 2"
4" x 4"
6" x 6"

LZN643
LZN644
LZN646

NFPA Protective Equipment Labels

- Both chemical hazard information and protective equipment (PPE) on one Adhesive-Poly label
- Fill in the NFPA hazard codes and check off appropriate PPE
- Overlamine for PPE Labels priced separately

Size	PPE Label No.	Clear Overlamine No.	Unit
3 1/2" x 5"	LZN111	LZS155	Each
5" x 7"	LZN112	LZS156	Each
7" x 10"	LZN113	LZS157	Each
10" x 14"	LZN114	LZS158	Each

Chemical Name: _____

HEALTH HAZARD 4. Deadly 3. Extreme Danger 2. Hazardous 1. Slightly Hazardous 0. Normal Material	FIRE HAZARD (FLASH POINT) 4. Below 73°F 3. Below 100°F 2. Below 200°F 1. Above 200°F 0. Will Not Burn	REQUIRED PERSONAL PROTECTIVE EQUIPMENT ☐ Safety Glasses ☐ Goggles ☐ Face Shield & Eye Protection ☐ Dust Respirator ☐ Vapor Respirator ☐ Gloves ☐ Synthetic Apron ☐ Full Suit ☐ Boots ☐ Other: _____
SPECIFIC HAZARD Use NO WATER Corrosive Irritant Oxidizer Flammable Explosive Radioactive Other: _____	INSTABILITY HAZARD 4. May Detonate 3. Shock And Heat May Detonate 2. Violent Chemical Change 1. Unstable If Heated 0. Stable	

Self-Laminating NFPA Protective Equipment Labels

- Adhesive-Poly with polyester overlamine flap

Size	No.	Unit
3 1/2" x 5"	LZN415	Pack 25
5" x 7"	LZN412	Pack 25

Chemical Name: _____

HEALTH HAZARD 4. Deadly 3. Extreme Danger 2. Hazardous 1. Slightly Hazardous 0. Normal Material	FIRE HAZARD (FLASH POINT) 4. Below 73°F 3. Below 100°F 2. Below 200°F 1. Above 200°F 0. Will Not Burn	REQUIRED PERSONAL PROTECTIVE EQUIPMENT ☐ Safety Glasses ☐ Goggles ☐ Face Shield & Eye Protection ☐ Dust Respirator ☐ Vapor Respirator ☐ Gloves ☐ Synthetic Apron ☐ Protective Clothing ☐ Boots ☐ Other: _____
SPECIFIC HAZARD Use NO WATER Corrosive Irritant Oxidizer Flammable Explosive Radioactive Other: _____	INSTABILITY HAZARD 4. May Detonate 3. Shock And Heat May Detonate 2. Violent Chemical Change 1. Unstable If Heated 0. Stable	

NFPA Target Organ Labels

- Combines the specific chemical and human body hazard information
- Fill in the NFPA hazard codes
- Check off the list for: route of entry, health hazards, physical hazards, and target organs and effects
- Adhesive-Poly material
- Overlamine for Target Organ Labels priced separately

Size	Target Organ Labels No.	Clear Overlamine No.	Unit
3 1/2" x 5"	LZN102	LZS155	Each
5" x 7"	LZN103	LZS156	Each
7" x 10"	LZN104	LZS157	Each

Chemical Name: _____

HEALTH HAZARD 4. Deadly 3. Extreme Danger 2. Hazardous 1. Slightly Hazardous 0. Normal Material	FIRE HAZARD (FLASH POINT) 4. Below 73°F 3. Below 100°F 2. Below 200°F 1. Above 200°F 0. Will Not Burn	CHECK OFF APPROPRIATE BOXES ROUTE OF ENTRY ☐ Inhalation ☐ Ingestion ☐ Absorption ☐ Injection HEALTH EFFECTS ☐ Irritation ☐ Corrosion ☐ Systemic ☐ Local ☐ Other: _____
SPECIFIC HAZARD Use NO WATER Corrosive Irritant Oxidizer Flammable Explosive Radioactive Other: _____	INSTABILITY HAZARD 4. May Detonate 3. Shock And Heat May Detonate 2. Violent Chemical Change 1. Unstable If Heated 0. Stable	TARGET ORGANS & EFFECTS ☐ Skin ☐ Eyes ☐ Nose ☐ Mouth ☐ Throat ☐ Lungs ☐ Heart ☐ Liver ☐ Kidneys ☐ Reproductive ☐ Other: _____

NFPA Chemical Identification Labels

- Fill in the NFPA diamond hazard codes
- Check off substance characteristics, severity of health hazards, and personal protective equipment
- Adhesive-Poly material

Size	No.	Unit
5" x 7"	LZN205	Each
7" x 10"	LZN207	Each

Chemical Name: _____

Chemical Manufacturer/Importer Name: _____

Address: _____

Emergency Phone: _____

(/ Mark Appropriate Protection Required)

HEALTH HAZARD 4. Deadly 3. Extreme Danger 2. Hazardous 1. Slightly Hazardous 0. Normal Material	FIRE HAZARD (FLASH POINT) 4. Below 73°F 3. Below 100°F 2. Below 200°F 1. Above 200°F 0. Will Not Burn	PHYSICAL HAZARDS ☐ Corrosive ☐ Irritant ☐ Oxidizer ☐ Flammable ☐ Explosive ☐ Radioactive ☐ Other: _____
SPECIFIC HAZARD Use NO WATER Corrosive Irritant Oxidizer Flammable Explosive Radioactive Other: _____	INSTABILITY HAZARD 4. May Detonate 3. Shock And Heat May Detonate 2. Violent Chemical Change 1. Unstable If Heated 0. Stable	ROUTE OF EXPOSURE ☐ Inhalation ☐ Ingestion ☐ Absorption ☐ Injection PERSONAL PROTECTION ☐ Safety Glasses ☐ Goggles ☐ Face Shield & Eye Protection ☐ Dust Respirator ☐ Vapor Respirator ☐ Gloves ☐ Synthetic Apron ☐ Protective Clothing ☐ Boots ☐ Other: _____

 Compliance Counts:
OSHA Hazard Communication compliant

NFPA Diamond Identifier Roll Labels

- Fill in NFPA Diamond with appropriate hazard codes (in the colored diamonds) & symbol (in the white diamond)

To order, add material code after part number.


Materials	Code	Unit
Adhesive Coated Paper	P55	Roll 500
Adhesive-Poly	EV5	Roll 500

Common-Chemical Identifier




LZN601

Chemical Identifier



LZN602

Chemical Classification Identifier



LZN125

Self-Laminating NFPA Diamond Identifier Roll Labels

- Attached clear polyester flap adheres and covers the label surface for protection
- 1" x 3" Adhesive-Poly labels with adhesive back

Unit

Roll 100

GHS/NFPA Secondary Label

- 3 1/2" x 5" Adhesive-Poly label with non-coat surface to write-on with pen or marker
- Permanent acrylic adhesive back

Unit

Each

NFPA & NFPA-HMCIS Wallet Guides

Quick reference fits in employee's pocket.

- Back features hazard rating code index definitions
- Measures 2 1/8" x 3 3/8"


NFPA-HMCIS Wallet Guide - NFPA and HMCIS are combined onto one card. Color-printed plastic, NFPA diamond and HMCIS multi-bar with hazard rating codes in the front.

NFPA Wallet Guide - Color-printed plastic, NFPA diamond with hazard rating codes in the front.


NFPA No.	NFPA-HMCIS No.	Unit
THS200	THS202	Each

NFPA No.	NFPA-HMCIS No.	Unit
THS200P	THS202P	Pack 25


LZN401EV



LZN401EV



NFPA



NFPA-HMCIS



Compliance Counts:
OSHA Hazard Communication compliant



HMCIS Roll Labels

- Five color bar format of HMCIS
- Available in Adhesive Coated Paper or Adhesive-Poly
- Choose from three sizes



2" x 2"
4" x 4"
6" x 6"

LZS113
LZS115
LZS117


To order, add material code after part number.

Material	Unit	Code
Adhesive Coated Paper	Roll 250	PS2
Adhesive Coated Paper	Roll 500	PS5
Adhesive-Poly	Roll 250	EV2
Adhesive-Poly	Roll 500	EV5

Self-Laminating HMCIS Protective Equipment Labels

- Printed on adhesive vinyl with attached polyester overlamine flap

Size	No.	Unit
3 1/2" x 5"	LZS215	Pack 25
5" x 7"	LZS216	Pack 25




HMCIS Protective Equipment Labels

- Both chemical hazard information and protective equipment on one label
- Fill in each color bar with hazard codes
- Add appropriate protective equipment code


HMCIS Target Organ Labels

- Combines the specific chemical and human body hazard information
- Fill in each color bar with hazard codes
- Check off the list for: route of entry, health hazards, physical hazards, and target organs and effects

Size	Protective Equipment No.	Target Organ No.	Unit
3 1/2" x 5"	LZS415	LZS401	Each
5" x 7"	LZS416	LZS402	Each
7" x 10"	LZS417	LZS403	Each
10" x 14"	LZS418	LZS404	Each



Protective Equipment



Target Organ

 Compliance Counts:
OSHA Hazard Communication compliant



ZRS641



ZRS632



SBZRS641



SBZRS632

Plastic SDS Binders

- Contrasting red letters on front cover and spine
- Three-ring binder with 36" metal security chain

Version	Ring Size	RD/YL No.	RD/WT No.	Unit
English	1 1/2"	ZRS641	ZRS632	Each
English	2 1/2"	ZRS642	ZRS634	Each
English	3"	ZRS643	ZRS640	Each
Bilingual	1 1/2"	SBZRS641	SBZRS632	Each
Bilingual	2 1/2"	SBZRS642	SBZRS634	Each

SDS Job Site Binders with Handles

- Made of durable plastic with carry handles
- Contrasting red letters on front cover and spine
- Three-ring binder holds 8 1/2" x 11" documents



Version	Ring Size	RD/YL No.	RD/WT No.	Unit
English	2 1/2"	ZRS942	ZRS934	Each
English	3"	ZRS943	ZRS940	Each
Bilingual	2 1/2"	SBZRS942	SBZRS934	Each
Bilingual	3"	SBZRS943	SBZRS940	Each

Binders with Handles are not compatible with wire basket centers.



Basket-Style Aluminum Safety Data Sheet (SDS) Centers

- 20"H x 15"W made of heavy-duty aluminum backboard protected by Sign Muscle®
- PVC-coated steel wire basket holds a standard three-ring 1 1/2" binder (included in kit)
- Four corner mounting holes



Compliance Counts:
OSHA Hazard Communication compliant



Kit **ZRS407**
Board Only **ZRS408**



Kit **ZRS409**
Board Only **ZRS410**

Trilex Striped Eyewash/Shower Signs




Bright, attention-getting striped signs clearly identify eyewash and shower stations.

- Highly visible, bold stripes with contrasting alternating color combinations that stand out against a facility background
- 30"x8", 3-sided sign with opening along leading back edge to slip over and easily install to existing pipe.
- 3/16" mounting holes
- Heavy-duty plastic protected by Sign Muscle®

To order, add color code after part number:
 Orange/Yellow – **ORYL**, Orange/Green – **ORGN**
 Orange/White – **ORWT**, Black/Yellow – **BKYL**


Material	No.	Unit
Standard Plastic	MFSD975	Each



Outdoor Muster Point Signs

- Printed on Engineer-Grade Prismatic (EGP) reflective surface aluminum for added visibility
- Protected by Sign Muscle®

Unit
Each



24" x 24" **FRR918RA**
 30" x 30" **FRR919RA**



24" x 24" **FRR922RA**
 30" x 30" **FRR923RA**



18" x 24" **FRR912RA**
 24" x 30" **FRR913RA**



18" x 24" **FRR928RA**
 24" x 30" **FRR929RA**



18" x 24" **FRR916RA**
 24" x 30" **FRR917RA**



18" x 24" **FRR910RA**
 24" x 30" **FRR911RA**



18" x 24" **FRR9141RA**
 24" x 30" **FRR9151RA**



18" x 24" **FRR9142RA**
 24" x 30" **FRR9152RA**



18" x 24" **FRR9143RA**
 24" x 30" **FRR9153RA**



18" x 24" **FRR9144RA**
 24" x 30" **FRR9154RA**



18" x 24" **FRR9145RA**
 24" x 30" **FRR9155RA**



18" x 24" **FRR9146RA**
 24" x 30" **FRR9156RA**



18" x 24" **FRR9147RA**
 24" x 30" **FRR9157RA**



18" x 24" **FRR9148RA**
 24" x 30" **FRR9158RA**



Job-Site Box (**ZRS360**) and
 Steel U-Channel Post (**HSP108**)
 sold separately



Don't see what you need?

Call us today for more options and customization!

Plastic Barricade Tapes

- Message continuously repeated
- 3" x 1000-ft.

Unit
Roll



CAUTION
MPT00



CAUTION DO NOT ENTER
MPT31



DANGER
MPT01



DANGER DO NOT ENTER
MPT11

Custom Barricade Tapes Made Easy

- Tape colors available in red, white and yellow with print colors black, blue, red, white
- Print message length up to 24" repeatedly along the length of the roll



Bucket of Chain

- 5-gallon bucket with 100-ft. of chain
- Clip on lid prevents chain from falling back in



Chain Color

White	Yellow	Black	Red	Unit
PRC210WT	PRC210YL	PRC210BK	PRC210RD	100-ft

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Wrap 'n Stick™ Tags

- Tags attach securely without fasteners
- Resilient, adhesive vinyl tags measure 12" x 3 1/8" and fold to 6" high
- Double-scored peel-and-stick liners

Unit
Pack of 25



TAT112



TAT113



TAT116

Plastic Stanchion Post & Chain

- 41" tall post & base, 3" diameter post with 16" diameter base
- 4.5" diameter ball top and C-hook (included)
- 2" plastic chain



PRC202YL



PRC202RD



Color	No.	Unit
Yellow	PRC202YL	Foot
Red	PRC202RD	Foot
Yellow	PRC211YL	Bag of 100-ft
Red	PRC211RD	Bag of 100-ft

Type	No.	Unit
Post	PRC741YL	Each



DOT Placards

- Identify specific hazardous materials by applying to visible locations
- Use placards on vehicles and large containers
- Specific color schemes, symbols, words, and numbers requirements identify the hazard
- Square-diamond format:
Placard - 273 mm x 273 mm (10 3/4" x 10 3/4")



Hazard Class 1

Explosives & Blasting Agents



MPL11: 1.1A
MPL12: 1.1B
MPL13: 1.1C
MPL14: 1.1D
MPL15: 1.1E
MPL16: 1.1F
MPL17: 1.1G
MPL18: 1.1J
MPL19: 1.1L



MPL110: 1.2B
MPL111: 1.2C
MPL112: 1.2D
MPL113: 1.2E
MPL114: 1.2F
MPL115: 1.2G
MPL116: 1.2H
MPL117: 1.2J
MPL118: 1.2K
MPL119: 1.2L



MPL120: 1.3C
MPL121: 1.3F
MPL122: 1.3G
MPL123: 1.3H
MPL124: 1.3J
MPL125: 1.3K
MPL126: 1.3L



MPL910

Placard Holders

- Open Face Holder with Spring Clips
- Designed for 10 3/4" x 10 3/4" Placards

Style	No.	Unit
Plain Aluminum	MPL910	Each

Compliance Counts:
Hazardous Material Regulation Compliant

Compliance Counts:
DOT Compliant

Hazard Class 2

Gases, Poison, Flammable & Non-Flammable



MPL202



MPL204



MPL201



MPL205



MPL206

Hazard Class 3

Flammable Liquids



MPL301



MPL302



MPL303



MPL304

Hazard Class 4

Flammable Solids



MPL402



MPL401



MPL501



MPL504

Hazard Class 5

Oxidizer & Organic Peroxide

Hazard Class 6

Poisonous & Infectious Substances



MPL606



MPL601

Hazard Class 7

Radioactive



MPL701

Hazard Class 8

Corrosive



MPL801

Hazard Class 9

Miscellaneous Dangerous Goods



MPL901

Custom 4-Digit DOT Placards



Note: If the placard is to be used on public roadways and railways, it must contain the proper combination of hazard classification, division, and identification numbers, as specified by DOT.

Blank 4-Digit DOT Placards

- Add appropriate 4-digit UN identification number for the hazard class
- Write in the number or order printed adhesive numbers (sold separately)
- Required number height is 3 1/2"
- Placard measures: 273 mm x 273 mm (10 3/4" x 10 3/4")

Hazard Class 2 Gases, Poison, Flammable & Non-Flammable




Hazard Class 3 Flammable Liquids



Hazard Class 4 Flammable Solids



Hazard Class 5



Hazard Class 6



Hazard Class 8



Hazard Class 9



Identification Numbers

- 3 1/2"H numbers
- Printed black on clear self-adhesive poly labels with back liner
- Available individually or printed together on a label



To order individual numbers, add number (0 - 9) after part number.

To order, add material and package quantity code after part number.

Materials	Code	Unit	Code
PF-Cardstock	CT	Each	1
Adhesive Vinyl	VS	Pack 10	10
Plastic	VP	Pack 25	25
Magnetic Vinyl	MG	Pack 50	50
Removable Vinyl	RM	Pack 100	100
Reflective Vinyl	FV		





4-Digit DOT Placards

- Ready-to-go placards meet chemical-specific DOT specifications
- Printed with hazard classification, hazard division, and 4-digit UN identification number
- Measures: 273 mm x 273 mm (10 3/4" x 10 3/4")


Hazard Class 2 Gases, Poison, Flammable & Non-Flammable



Hazard Class 3 Flammable Liquids



Hazard Class 5 Oxidizer



Hazard Class 8 Corrosives




Hazard Class 9



Custom 4-Digit DOT Placards




Note: If the placard is to be used on public roadways and railways, it must contain the proper combination of hazard classification, division, and identification numbers, as specified by DOT.



DOT Labels

• All labels are 4" x 4" unless otherwise noted



Materials

Adhesive Coated Paper — (PS) Economical, with a self-adhering back intended for short term use in protected areas.

Peel off the back liner to adhere to most clean, dry surfaces.

Adhesive-Poly Sheet — (EV) Durable label with permanent acrylic adhesive back and peel off liner. Moisture resistant to withstand weather conditions.

Code	Unit
PS2	Roll 250
PS5	Roll 500
EV2	Roll 250
EV5	Roll 500

How to order DOT Labels:

1. Select DOT Label style part number: **MSL301**
2. Select Material code: Adhesive Poly Sheet - **EV**
3. Select Roll quantity code: **250** per roll - **2**
4. Add Material code and Roll quantity code: **MSL301EV2**

Hazard Class 1 Explosives & Blasting Agents

						
MSL11: 1.1A MSL12: 1.1B MSL13: 1.1C MSL14: 1.1D MSL15: 1.1E MSL16: 1.1F MSL17: 1.1G MSL18: 1.1J MSL19: 1.1L	MSL110: 1.2B MSL111: 1.2C MSL112: 1.2D MSL113: 1.2E MSL114: 1.2F MSL115: 1.2G MSL116: 1.2H MSL117: 1.2J MSL118: 1.2K MSL119: 1.2L	MSL120: 1.3C MSL121: 1.3F MSL122: 1.3G MSL123: 1.3H MSL124: 1.3J MSL125: 1.3K MSL126: 1.3L	MSL127: 1.4B MSL128: 1.4C MSL129: 1.4D MSL130: 1.4E MSL131: 1.4F MSL132: 1.4G MSL133: 1.4S	MSL134: D	MSL135: N	MSL1SBE

Hazard Class 2 Gases, Poison, Flammable & Non-Flammable

				
MSL201	MSL202	MSL206 (International Use Only)	MSL204	MSL205

Hazard Class 3 Flammable Liquids


MSL301

Hazard Class 4 Flammable Solids

		
MSL401	MSL402	MSL403

Hazard Class 5 Oxidizer & Organic Peroxide

	
MSL501	MSL504

Hazard Class 6 Poisonous & Infectious Substances

					
MSL601	MSL607	MSL605	MSL608	MSL606	3" x 5" MSL604

Hazard Class 7 Radioactive

		
MSL701	MSL702	MSL703

Hazard Class 8

	
MSL704	MSL801

Hazard Class 9 Miscellaneous Dangerous Goods

	
MSL902	MSL903

Hazardous Waste Labels

- Eliminate the uncertainty of accumulated contents in containers by marking them
- Be aware of the potential for harmful waste contained within

Materials

Adhesive Coated Paper — (PS) Economical, with a self-adhering back intended for short term use in protected areas. Peel off the back liner to adhere to most clean, dry surfaces.

Adhesive-Poly Sheet — (EV) Durable label with permanent acrylic adhesive back and peel-off liner. Moisture resistant to withstand weather conditions. Matte surface for marking with pen and pencil.



Compliance Counts:
EPA compliant

California & New Jersey

California Codes of
Regulations Title 22, Chapter
12, 6626.32 (b)



2 1/4" x 5" MHZW21

6" x 6" Stock **MHZW06**
6" x 6" Semi-Custom **HZW06**
3, 4, 5, 6, 7, 8, 9, 10, 11, 12

6" x 6" Stock **MHZW25**
6" x 6" Semi-Custom **HZW25**
1, 2, 3, 4, 5, 6, 7, 8, 9, 18, 19, 20, 21

6" x 6" Stock **MHZW09**
6" x 6" Semi-Custom **HZW09**
1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12

6" x 6" Stock **MHZWCA**
6" x 6" Semi-Custom **HZWCA**
1, 3, 4, 5, 6, 7, 8, 9, 13, 14, 15, 16, 18, 20, 21

6" x 6" Stock **MHZW20**
6" x 6" Semi-Custom **HZW20**
3, 4, 5, 6, 7, 8, 9, 14, 16

6" x 6" Stock **MHZW14**
6" x 6" Semi-Custom **HZW14**
3, 4, 5, 6, 7, 13

4" x 4" Stock **MHZW47**
6" x 6" Stock **MHZW45**
4" x 4" Semi-Custom **HZW47**
6" x 6" Semi-Custom **HZW45**
3, 4, 5, 6, 7, 13

6" x 6" Stock **MHZWNJ**
6" x 6" Semi-Custom **HZWNJ**
1, 3, 4, 5, 6, 7, 8, 9, 14, 16, 18, 20, 21

6" x 6" Stock **MHZW11**
6" x 6" Semi-Custom **HZW11**
3, 4, 5, 6, 7, 13

4" x 4" Stock **MHZW17**
6" x 6" Stock **MHZW16**
4" x 4" Semi-Custom **HZW17**
6" x 6" Semi-Custom **HZW16**
3, 4, 5, 6, 7, 13, 16

4" x 6" Stock **MHZW15**
4" x 6" Semi-Custom **HZW15**
13, 16

Comply with 40 CFR §273.14

6" x 6" Semi-Custom **HZW25**
2, 3, 4, 5, 6, 7, 8, 9, 18, 19, 20, 21

How to Order Stock Hazardous Waste Labels

Add material and quantity code after part number.

Material	Unit	Code
Adhesive Coated Paper	Pack 25	PSP
Adhesive Coated Paper	Pack 100	PSC
Adhesive Coated Paper	Roll 250	PSL
Adhesive-Poly	Pack 25	EVP
Adhesive-Poly	Pack 100	EVC
Adhesive-Poly	Roll 250	EVL

How to Order Semi-Custom Hazardous Waste Labels

Refer to the number key provided under the Semi-Custom part number you are ordering. Use the number key to determine the information you will need to provide.


- | | |
|--------------------------------|--------------------------------|
| 1 – Proper DOT Shipping Name | 12 – Total Weight In Kilograms |
| 2 – UN or NA | 13 – Contents |
| 3 – Name (Shipper) | 14 – EPA Waste Number |
| 4 – Address | 15 – CA Waste Number |
| 5 – City | 16 – Accumulation Start Date |
| 6 – State | 17 – Contact Name |
| 7 – Zip Code | 18 – Telephone Number |
| 8 – EPA ID Number | 19 – Department / Facility |
| 9 – Manifest Tracking Number | 20 – Technical Chemical Name |
| 10 – Date Removed From Service | 21 – UN or NA No. with Prefix |
| 11 – Date Placed In Storage | 22 – NFPA characters |

Custom Pipeline Marking Signs


- Printed on 11 3/4" diameter aluminum and protected by Sign Muscle®
- Finished with post-mount holes
- Contact your distributor with part number **FMH115** and provide your detailed sign requirements for a quote
- To order semi-custom pipeline marking signs, reference part number for your preferred style and provide your personalized information.



Unit
Each



FMH125



FMH135



FMH145

Custom Field and Site Entrance Signs

- Add your company name or logo at no extra charge
- Printed on durable aluminum and protected by Sign Muscle®
- Finished with rounded corners with four 3/16" mounting holes



Unit
Each




48" x 36" MLEA503SB



48" x 24" MLEA504SB

Custom Oil & Gas Lease Signs

- Your exclusive information required for compliance
- Printed on durable aluminum and protected by Sign Muscle®
- Available in 2 common sizes that fit most standard sign frames
- Reference part number **MLEA255** for 18" x 24" size or **MLEA155** for 12" x 24" size



18" x 24" MLEA255



12" x 24" MLEA155



Unit
Each

Custom Topline Labels

- Designed to effectively cover existing lessee information when change is required
- Printed on Dura-Vinyl
- Aggressive peel-n-stick adhesive backing
- Reference part number **LEAS255** for 3" x 24" size or **LEAS155** for 5" x 24" size



3" x 24" LEAS255



5" x 24" LEAS155

Unit
Each

Maritime Security (MARSEC) Signs

Comply with U.S. Coast Guard, Department of Homeland Security regulations Title 33 – Navigation and Navigable Waters.

When Homeland Security issues a National Terrorism Advisory System (NTAS) Alert, the U.S. Coast Guard adjusts the MARSEC level as appropriate to the threat.

SECURITY NOTICE

MARSEC 3
HIGHEST SECURITY MEASURES IN EFFECT

Further specific protective security measures shall be maintained for a limited period of time when a transportation security incident is probable or imminent, although it may not be possible to identify the specific target.

BOARDING THIS VESSEL OR ENTERING THIS FACILITY IS DEEMED VALID CONSENT TO SECURITY SCREENING OR INSPECTION.

FAILURE TO CONSENT OR SUBMIT TO SCREENING OR INSPECTION WILL RESULT IN DENIAL OR REVOCATION OF AUTHORIZATION TO BOARD (33 CFR 104.265 (E)(2)) OR ENTER (33 CFR 105.255 (E)(2))

Unit
Each

30" x 24"

MASE535

MARSEC Flip Sign

- Each panel represents three security code levels with color-coded backgrounds
- Panels flip between "MARSEC 1", "MARSEC 2", and "MARSEC 3" messages
- Aluminum face panel with 30"H x 24"W heavy-duty aluminum back plate
- Protected by Sign Muscle® Liquid Laminate
- Stainless steel locking hinges

Restricted Area Sign

- Posted throughout a port facility or on board a ship or vessel
- Identifies sensitive security areas designated as off-limits to those unauthorized

To order, add material code after part number.

Materials	Code	Unit
Aluminum	VA	Each
Aluma-Lite™	XL	Each

* VA and XL signs are protected by Sign Muscle®.



7" x 10"	MASE921
10" x 14"	MASE923
12" x 18"	MASE925
18" x 24"	MASE927

SECURITY NOTICE

MARSEC 1
SECURITY MEASURES IN EFFECT

Minimum appropriate protective security measures shall be maintained at all times in accordance to the threat level.

MARSEC 2
ELEVATED SECURITY MEASURES IN EFFECT

Appropriate additional protective security measures shall be maintained for a period of time as a result of heightened risk of a transportation security incident.

MARSEC 3
HIGHEST SECURITY MEASURES IN EFFECT

Further specific protective security measures shall be maintained for a limited period of time when a transportation security incident is probable or imminent, although it may not be possible to identify the specific target.

BOARDING THIS VESSEL OR ENTERING THIS FACILITY IS DEEMED VALID CONSENT TO SECURITY SCREENING OR INSPECTION.

FAILURE TO CONSENT OR SUBMIT TO SCREENING OR INSPECTION WILL RESULT IN DENIAL OR REVOCATION OF AUTHORIZATION TO BOARD (33 CFR 104.265 (e)(2)) or ENTER (33 CFR 105.255 (e))

Unit
Kit

24" x 36"

MASE530

Magnetic Set

- 24" x 36" durable galvanized steel sign
- Includes three 9" x 18" color-coded magnetic panels
- Easily change the magnetic panels as MARSEC security levels warrant

Marine Terminal Safety Signs

- Ensure workers maintain a safe distance from vehicles
- Generously sized at 14" H x 20" W for enhanced visibility
- Available in two durable materials for outdoor use

To order, add material code after part number.

Materials	Code	Unit
Aluminum	VA	Each
Aluma-Lite™	XL	Each

* VA and XL signs are protected by Sign Muscle®.

CAUTION
PEDESTRIAN
CROSSING

14" x 20"
29 CFR 1917.128(a)(2)

MVHR688

CAUTION
SOUND HORN
PROCEED SLOWLY

14" x 20"
29 CFR 1917.43(b)(8)

MVHR696



Compliance Counts:
US Coast Guard, Homeland Security, Maritime Security compliant

Sound Level Decibel Meter Safety Signs



Continually display noise levels to alert workers of the potential need for hearing protection.

- Supports OSHA 1910.95 hearing conservation program
- Measurement range from 30 to 130 dB
- Measures accurately to ± 1.5 decibels
- Requires no additional calibration or settings
- Three digit 1.5" high red LED digital numbers are viewable from 75-ft. away
- Lightweight 1" deep durable aluminum construction and protected by Sign Muscle®
- Operates on 110 VAC with 5-ft cord plug to DC 12V, 2A power supply
- Working environment: 32-104°F, 10-70% RH*
- Indoor use only

Unit
Each

*Not recommended for high humidity environments



20" x 24" **SCS607**
Dispenser Measures: 11 7/8" H x 6" W x 8 1/4" D



20" x 24" **SCS604**



30" x 36" **SCS602**



20" x 12" **SCS606**
Dispenser Measures: 4-3/4" H x 3-5/8" W x 2" D



20" x 12" **SCS603**



12" x 10" **SCS601**



12" x 10" **SCS605**

More Hearing Protection Options

Earplug Tray

- Provides easy access to earplugs
- Wall-mount or place on tabletop
- 11" x 10" x 11"

Unit
Each



AEP-3

Earplug Dispensers

- Safety green top and front pocket to draw attention
- Wall-mount or place on tabletop
- Small holds 100 pairs
- Large holds 200 pairs

Item	Style	Size	Unit
AEP-4	Small	6" x 9" x 12"	Each
AEP-D	Large	12" x 9" x 12"	Each



AEP-4

STOPOUT®

Steering Wheel Message Covers™

- Flexible, reinforced vinyl cover
- Backside of upper half features a pocket that slips over the steering wheel
- 3/8" metal grommeted hole at bottom accommodates 1 1/2" hasp with padlocks (sold separately: hasp page 42, padlocks page 44)

Unit
Each

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



16" KDD717 20" KDD728 24" KDD739



16" KDD718 20" KDD722 24" KDD731



16" KDD714 20" KDD725 24" KDD736



16" KDD716 20" KDD727 24" KDD738



16" KDD719 20" KDD724 24" KDD733

Custom Steering Wheel Message Covers

- No Set-up fee
- Size options
- Color choices
- Message and logo/symbol

Contact us to create custom message Steering Wheel Message Covers to meet your requirements

Padlock Shelf Racks

- Shelf is made of heavy-duty angled steel
- **Small** measures 2 1/4" x 3" x 1 1/4" and holds four to six padlocks
- **Standard** measures 3" x 16" x 1 1/4" and holds 24-36 padlocks

Unit
Each



Small KCC703




Standard KCC716

Padlocks sold separately.

Water Cooler Tether Lockout

- Prevents unwanted entry into the water cooler
- Fastens to water cooler lid and body with stainless steel screws (included)
- Tether design prevents the lid from coming into contact with the ground
- Designed to fit the tops of most pull-off lid style water coolers

Cooler not included. Padlock and tags sold separately.



KDD275

Unit
Each

Potable Water Cooler Tape

- Tape leaves no sticky residue when removed
- 2"H x 55-yds. long
- Roll seals approximately 38 ten-gallon water coolers

Unit
Roll



KWC100



STOPOUT®

120/240 Circuit Breaker Lockouts

- Bar clamp pump action for secure close with quick release tab
- Easily applied with one hand if needed
- Durable plastic with metal jaws for maximum grip
- Accommodates up to 9/32" dia. padlock (sold separately, page 44)



Tag sold separately below



Single Pole



Double Pole



Triple Pole



English, Spanish, and French labels included.

Item	Size	No.	Unit
Single Pole	15/16"W x 3 1/3"L x 1 1/2"D	KDD160	Each
Double Pole	1 3/4"W x 3 1/3"L x 1 1/2"D	KDD161	Each
Triple Pole	2 1/2"W x 3 1/3"L x 1 1/2"D	KDD162	Each

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

STOPOUT®

Tab Tags

For use with STOPOUT® Circuit Breaker Lockout devices (above).

- Tag is secured when the device is in the locked position
- RP-Plastic tag measures 4 1/2" x 2 1/8"

Unit
Pack 25



KDD164



KDD166



Standard Back

STOPOUT®

Low-Profile Circuit Breaker Lockout

- Device fastens tightly onto circuit breaker for a secure, solid lockout
- Durable plastic body with set screw blocked by 9/32" dia padlock (sold separately, pg 44)
- Fits most 120/240 circuit breaker sizes
- Single Pole 13/16"W x 3"L x 3/4"
- Slim, low-profile design may allow the door to be closed with lockout attached

Description	No.	Unit
Lockout	KDD170	Each

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



KDD170

Position device onto breaker.



Tighten setscrew for secure fit.



Lock with padlock and tag.



Compliance Counts:
OSHA Lockout/Tagout compliant

STOPOUT®

Trailer-Lock Glad Hand Lockout

- Durable plastic clam-style measures 4" L x 3" W x 2" H to fit one way
- Attach to trailer's (red) line connection
- Secure with your choice of padlock (sold separately, page 44)

Description	No.	Unit
Glad Hand Lockout	KDD477	Each



Attach device to Glad Valve.



Close device over Glad Valve and secure with padlock (shackle diameter up to 9/32") and tag.



Glad Hand Trailer Lockout

- Easily attaches to glad hand valve
- Key locks pin in air way of the valve preventing the trailer from being moved
- Durable plastic material
- Ideal for use on idle or storage trailers

Description	No.	Unit
Keyed Differently	KDD475	Each
Keyed Alike	KDD479	Each

STOPOUT®

Blind Flange Lockouts


- Constructed of durable, high-impact plastic that withstands harsh environments
- Conceals flange bolts eliminating the opportunity to remove ALL bolts and blind
- Ideal for use in temperature of -4°F to 140°F
- Maximum shackle diameter 9/32"

KDD501 – Class 150 – Nominal Pipe Size = .5, .75, 1.0, 1.25, and 1.50
Class 300 – Nominal Pipe Size = .5, .75, 1.0, and 1.25

KDD502 – Class 150 – Nominal Pipe Size = 2.0, 2.50, 3, 3.5, 4.0, 5.0, 6.0, and 8.0
Class 300 – Nominal Pipe Size = 2.0, 2.50, 3, 3.5, 4.0, 5.0, and 6.0

KDD503 – Class 150 – Nominal Pipe Size = 10.0 and 12.0
Class 300 – Nominal Pipe Size = 8.0

Class 150 Fits Nut Diameter	Class 300 Nut Diameter	Pipe Flange Width Range	No.	Unit
.62" – .88" (15.74mm – 22.35mm)	.62" – .88" (15.74mm – 22.35mm)	1-1/2" – 5-5/8" (38.1mm – 143.3mm)	KDD501	Each
.75" – .88" (19.05mm – 22.35mm)	.75" – 1.00" (19.05mm – 25.4mm)	3-3/4" – 10-3/4" (95.3mm – 274.6mm)	KDD502	Each
1" (25.4mm)	1" (25.4mm)	7-3/4" – 17-7/8" (196.9mm – 447.8mm)	KDD503	Each




Compliance Counts:
OSHA Lockout/Tagout compliant



Don't see what you need?

Call us today for more options and customization!



STOPOUT®

Ball Valve Lockouts

- Durable plastic design fits over ball valve and handle perpendicular or parallel to pipe
- Includes "Danger Locked Out" label
- Secure with padlock (sold separately, page 44)

Fits Ball Valve	Overall Size	No.	Unit
3/8" – 1 1/4"	3 1/8" x 4 1/2" x 4 1/2"	KDD442	Each
1 1/2" – 2"	4 1/2" x 5 2/3" x 5 2/3"	KDD440	Each



STOPOUT®

Gate Valve Lockouts

- Hinged clamshell, durable plastic housing fully encloses the valve handle to prevent access
- Includes "Danger Locked Out" label
- Secure with padlock (sold separately, page 44)

Fits Valve Handle Dia.	Size	No.	Unit
1" – 2 1/2"	3" x 1"	KDD470	Each
2 1/2" – 5"	5 1/2" x 2"	KDD471	Each
5" – 6 1/2"	7" x 2"	KDD472	Each
6 1/2" – 10"	10 1/2" x 3"	KDD473	Each
10" – 13"	13" x 3 1/2"	KDD474	Each



STOPOUT®

Cinch Cable Lockout

- Unique, compact internal spooling feature stores cable when not in use
- When cable is cinched, device can be secured with a padlock (sold separately, page 44)
- Durable plastic, octagon-shaped device measures 3 1/3" x 4" x 1"
- 6-ft. cable included

Item	No.	Unit
Cinch Cable Lockout w/ 6-ft Cable	KDD630	Each
15-ft. cable (separate)	KDD635	Each



STOPOUT®

StopPlug™ Lockouts


- Durable plastic case with metal insert hinge
- 110 Plug fits most 110 VAC plugs
- Multi-Plug fits most 110, 220, 550, or 600 VAC plugs
- Includes "Danger Locked Out" label

Style	Size	No.	Unit
110 Plug	2 1/4"H x 2 1/4"W x 3 1/2"L	KDD225	Each
Multi-Plug	3"H x 3"W x 6"L	KDD230	Each


⚠ **WARNING:** Cancer – www.P65Warnings.ca.gov



Compliance Counts:
OSHA Lockout/Tagout compliant



Turn the hasp halves to cinch cable.



Cinch closed position with holes aligned.

STOPOUT®

Twist 'n Lock Cinch Lockout Hasps

- Easy-to-use cable and cinch lockout hasp solution
- Polycarbonate, compact hasp is comprised of two 3" dia. x 1 1/2" thick rotating halves with red plastic-coated steel cable
- Visible red octagon shape reinforces the lockout situation

Item	No.	Unit
Hasp with 3-ft. cable	KDD636	Each
Hasp with 6-ft. cable	KDD637	Each
Hasp with 9-ft. cable	KDD640	Each
Hasp with 15-ft. cable	KDD638	Each




STOPOUT®

Group Lock Hasp

- Lock out equipment with up to 12 workers
- 7 1/4"H x 3 1/4"W hasp fits in the palm of the hand
- Lightweight, all-dielectric plastic design
- STOP-shaped octagon body holds locking arm in place

Style	No.	Unit
Hasp	KDD106	Each



Scissor-Lok™ Cable-Hasps

- Visible, vinyl-coated steel cable loops securely with the lockout hasp
- Compact, scissor-style, nylon plastic hasp closes to 1" x 4 1/2" x 5/8"
- Accommodates up to three padlocks with shackle diameter up to 1/4" (sold separately, page 44)

Hasp available in two colors; Red – RD, Yellow – YL.
To order, specify color code after part number.

Item	No.	Unit
Hasp with 3-ft Cable	KDD621	Each
Hasp with 10-ft Cable	KDD623	Each

Aluminum Hasps

Non-Sparking style

- Padlock keeps hasp closed until the last padlock is removed
- Red vinyl-coating
- Non-sparking aluminum
- Comes in 1" and 1 1/2" diameter openings
- Accommodates up to six padlocks (sold separately, page 44)

Opening	Length	No.	Unit
1"	4 1/2"	KDD105	Each
1 1/2"	5"	KDD108	Each



WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Steel Hasps

Standard style

- Hasp stays closed until last padlock is removed
- Red vinyl-coating
- Zinc-plated steel
- Comes in 1" and 1 1/2" diameter openings

Opening	Length	No.	Unit
1"	4 1/2"	KDD107	Each
1 1/2"	5"	KDD109	Each



Interlocking style

- Hasp stays closed until last padlock is removed
- Red vinyl-coating
- Zinc-plated steel with bent tabs to prevent prying
- Comes in 1" and 1 1/2" diameter openings

Opening	Length	No.	Unit
1"	4 1/2"	KDD102	Each
1 1/2"	5"	KDD103	Each



WARNING: Cancer and Reproductive Harm
www.P65Warnings.ca.gov



STOPOUT®

Look 'n Stop Group Lock Boxes

- Alert workers to stop and secure keys and padlocks in a secure lock box
- Durable molded plastic construction
- Compact group lock box is designed to be portable or mountable
- Padlocks and Tags sold separately

Item	Size	No.	Unit
Compact Group Lock Box*	7 3/4" x 7 3/4" x 4"	KCC620	Each
Group Lock Box	13" x 13" x 3 1/2"	KCC624	Each

*⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



STOPOUT®

Standard Lockout Kit

- Standard Lockout Kit Includes:
 - 1 Lockout Box, Plastic, 18"L x 6 1/2"W x 4 3/4"H
 - 2 Lockout Scissor Hasps, 1" opening
 - 1 STOPOUT® Aluma-Tag™ Hasp, 1 1/2" Opening
 - 3 Steel Padlocks (keyed differently), 3/4" Shackle
 - 50 Labels for Padlocks
 - 25 HS-Laminate Lockout Tags
 - 2 STOPOUT® Circuit Breaker Lockouts
 - 25 STOPOUT® Circuit Breaker Lockout Tab Tags
 - 1 STOPOUT® StopPlug™ Multi-Plug Lockout

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov


STOPOUT®

Pry-Resistant Lock Box

Keep your group of employees safe from electrical hazards when they're performing service and/or maintenance.

- Inner pry-resistant top with two clear panel windows provide visibility to the secured content
- Made of durable, powder coated steel for extra rust-resistance
- Accommodates up to 20 padlocks up to 1/4" shackle diameter
- Top key slot
- Dimensions: 4 3/4"H x 8"W x 4 5/8"D

Unit
Each



- Made of durable aluminum
- Fits most ladders
- Secure with cable-hasps lockout and padlock (both included)
- Bold, bilingual warning message and tag provide additional visual deterrents
- Dimensions: 42"H x 13 1/4"W x 2 13/16"D
- Protected by Sign Muscle®

Ladder Shield™ Kit includes:

- 1 – Ladder Shield™
- 1 – STOPOUT® Twist'n Lock Cinch Lockout Hasp
- 1 – Padlock with Key
- 5 – Accident Prevention Tags

Item	No.	Unit
Ladder Shield™ Kit	KLB426	Kit
Replacement Padlock	KDL816RD	Each
Replacement Lockout Hasp	KDD640	Each

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Compliance Counts:
OSHA Lockout/Tagout compliant

STOPOUT® Laminated Steel Padlocks

- Heavy-duty lock utilizes special coating for corrosion resistance
- 5-pin tumbler, drilling and pulling protected
- Lock measures in 1/4" shackle diameter and 13/16" apart steel shackle
- 2 keys included

To order, add color code after part number: Red – **RD**, Green – **GN**, Yellow – **YL**, White – **WT**, Black – **BK**, Blue – **BU**, Orange – **OR**, Purple – **PR**, Brown – **BR**.

Clearance Height	Keyed Differently	Keyed Alike	Keyed Differently Master Keyed*	Keyed Alike Master Keyed*	
Shackle	No.	No.	No.	No.	Unit
Body Height = 1 1/2" Body Width = 1 1/2"					
3/4"	KDL905	KDL916	KDL943	KDL966	Each
1 1/2"	KDL906	KDL917	KDL944	KDL967	Each
2"	KDL907	KDL918	KDL945	KDL968	Each
*Master Key (sold separately)		KDL939			Each

▲ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

► **Keyed Alike, Keyed Differently Master Keyed, and Keyed Alike Master Keyed are Not Returnable**



Available colors:



STOPOUT® Plastic Body Aluminum Padlocks

- 6-pin cylinder for increased tamper resistance
- Key cannot be removed when padlock is unlocked
- Internal aluminum body constructed from at least 73% recycled aluminum and features FDA grade lubricants in the mechanisms
- Meets Lockout/Tagout requirements
- 1 key included

To order, add color code after part number: Red – **RD**, Green – **GN**, Yellow – **YL**, White – **WT**, Black – **BK**, Blue – **BU**, Orange – **OR**, Purple – **PR**, Brown – **BR**.

Clearance Height	Keyed Differently	Keyed Alike	Keyed Differently Master Keyed*	Keyed Alike Master Keyed*	
Shackle	No.	No.	No.	No.	Unit
Body Height = 1 3/4" Body Width = 1 1/2"					
1 1/2"	KDL816	KDL820	KDL882	KDL891	Each
3"	KDL817	KDL821	KDL883	KDL893	Each
Body Height = 3" Body Width = 1 1/2"					
1 1/2"	KDL818	KDL827	KDL884	KDL895	Each
*Master Key (sold separately)		KDL859			Each

▲ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

► **Keyed Alike, Keyed Differently Master Keyed, and Keyed Alike Master Keyed are Not Returnable**



Available colors:



STOPOUT® Anodized Aluminum Padlocks

- Constructed of lightweight premium aluminum with recycled content
- Non-sparking, non-magnetic, and corrosion-resistant
- 6-pin precision tumbler
- Designed for OSHA required identification, making them perfect for use in Lockout/Tagout situations
- 1/4" shackle diameter; 3/16" apart steel shackle
- 2 keys included

To order, add color code after part number: Red – **RD**, Green – **GN**, Yellow – **YL**, Silver – **SL**, Black – **BK**, Blue – **BU**, Orange – **OR**, Purple – **PR**, Brown – **BR**.

Clearance Height	Keyed Differently	Keyed Alike	Keyed Differently Master Keyed*	Keyed Alike Master Keyed*	
Shackle	No.	No.	No.	No.	Unit
Body Height = 1 1/2" Body Width = 1 1/2"					
1"	KDL660	KDL671	KDL682	KDL693	Each
1 1/2"	KDL661	KDL672	KDL683	KDL694	Each
3"	KDL662	KDL673	KDL684	KDL695	Each
*Master Key (sold separately)		KDL609			Each

▲ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

► **Keyed Alike, Keyed Differently Master Keyed, and Keyed Alike Master Keyed are Not Returnable**



Available colors:



Man-Way Cross™ Barriers

- Crossbuck design fits onto bolt pattern of vertical confined space entry
- Adjustable crossbuck pivots flat for easy transport and storage
- Crossbuck arms measure 5 3/4" x 42" with 1 1/2" x 9" slotted cutouts at each end
- 11 1/2" x 11 1/2" octagonal sign is printed on polyethylene plastic
- Fits 22" to 38" outside bolt-to-bolt*
- Crossbucks available in two materials:
 - » Both materials are protected by Sign Muscle®
 - » **Standard** style is polycarbonate plastic – durable to withstand initial impacts and scratches
 - » **Heavy-Duty** style is Aluma-Lite™ – combines aluminum and thermoplastic core for high strength and impact protection

* To verify proper fit of the Man-Way Cross™ Barrier for your entryway, measure the length across the entryway from bolt to bolt; then measure the bolt diameter and compare to slot width.

Style	Material	Unit
Standard	Plastic	Each
Heavy-Duty	Aluma-Lite™	Each



Compliance Counts:
OSHA Confined Space compliant



Plastic CXB635
Aluma-Lite™ CXB644



Plastic CXB633
Aluma-Lite™ CXB642



Plastic CXB631
Aluma-Lite™ SHCXB640

Flanged Pipe Barrier Kits

- Radial fit U-shaped lip design hooks directly onto the outer flange securely holding it in place
- Center post design accommodates a padlock and lockout tag or hasp for multiple lockouts
- Adjustable cross arms fit a variety of hatch openings
- Constructed from heavyweight aluminum
- Kit includes two-piece Flanged Pipe Barrier, one keyed differently lock, and one 5 pack of lockout tags
- Protected by Sign Muscle®



To order, add size code after part number:
Small – **SM**, Medium – **MD**, Large – **LG**

Size	Fits Flange Diameter	Unit
Small	18" and 20"	Kit
Medium	22" and 24"	Kit
Large	26" and 28"	Kit

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



CXB802



CXB805



CXB806



SHCXB804




SBCXB803



Unique adjustable flange mounting requires no bolting!

Pre-Printed Marking Flags

- Pre-printed with standard utility messages on background colors
- 4" x 5", PVC flag is attached to a 30", 16-ga. steel wire rod



PERSONALIZE IT!

Type	Flag Size	Rod Length	NO.	Unit
Custom	4" x 5"	30"	FMF455	Pack 100
Custom	Other Size		FMF555	Pack 100

(see page 4 for more instructions on how to order custom)

Marking Flags

- PVC blank flags are available in standard and solid fluorescent colors
- 2 1/2" x 3 1/2" Flag is attached to a 16-ga. 21" steel wire rod
- Easily seen in overgrowth areas



Assorted Stock & Custom Marking Flags shown.

Prices are based upon one color print on one side of standard color flag. Print area is 3" x 3 1/2".

Type	Flag Size	Rod Length	NO.	Unit
Standard	2 1/2" x 3 1/2"	21"	FMF203	Pack 100
Standard	4" x 5"	30"	FMF405	Pack 100

To order, add color code after part number:

Standard

Color	Part No.
Black	BK
Blue	BU
Green	GN
Orange	OR
Red	RD
White	WT
Yellow	YL

Fluorescent

Color	Part No.
Green	FG
Orange	FO
Pink	FP
Red	FR
Yellow	FY

Flagging Tapes

- Non-adhesive Flagging Tape is easy to tear and tie
- Solid and stripe colors are 2-mil thick vinyl, 1 3/16" x 300-ft.
- Fluorescent colors are 4-mil thick vinyl, 1 3/16" x 150-ft.



Color	Size	No.	Unit
Solid Color	1 3/16" x 300-ft.	PTL230	Roll
Stripe Color	1 3/16" x 300-ft.	PTL640	Roll
Fluorescent Color	1 3/16" x 150-ft.	PTL410	Roll

To order, add color code after part number.

Standard Colors

Color	Part No.
Blue	BU
Green	GN
Orange	OR
Red	RD
White	WT
Yellow	YL

Fluorescent

Color	Part No.
Blue	FB
Green	FG
Orange	FO
Pink	FP
Red	FR
Yellow	FY

Striped

Color	Part No.
	BKWT
	BKYL
	BUWT
	ORWT
	RDWT
	YLWT

Whisker Stakes

Durable ground marking can be run over with equipment!

- Unique marking for utility, construction, boundary, forestry, agriculture, and survey marking
- Attach to wooden stakes or nail spikes (not included) and insert into the ground
- Whisker measure 6"

To order, add color code after part number:

Standard

Color	Part No.
Blue	BU
Green	GN
Orange	OR
Red	RD
White	WT
Yellow	YL

Fluorescent

Color	Part No.
Pink	FP



FMF100

Unit
Pack 25



Conspicuity Reflective Tapes

- Meets NHTSA (49 CFR571) and DOT C-2 Grade Identification.
- Excellent retroreflective visibility
- Polyester-based film with high-tack, pressure-sensitive adhesive back and peel-off liner
- Available in red and white pattern; 2" wide rolls



Compliance Counts:
DOT Compliant



Red (6'') & White (6'')



Red (11'') & White (7'')

Roll Size	No.	Unit
Red (6'') / Silver White (6'') 2" x 150-ft.	PTC125	Roll
Red (11'') / Silver White (7'') 2" x 25-ft.	PTC102	Roll
2" x 75-ft.	PTC115	Roll
2" x 150-ft.	PTC129	Roll



Pennant Flag Tapes

Standard style has 9" x 12" red, polyethylene plastic pennant flags sewn onto durable cord (approx. 66" of lead cord on each end). Ideal for indoor and temporary outdoor applications.

Heavy-Duty style has large 18" x 18", tough, tear-resistant vinyl laminated, fluorescent orange nylon pennant flags sewn onto high-tensile strength cord. Flags are 18" apart with 20-ft. of lead tape at each end. Ideal for extended periods outdoors.

Length	No. of Pennants	Color	No.	Unit
Standard Style 60-ft.	36	Red	PTF360	Each
Heavy-Duty Style 83-ft.	15	Fluor. Orange	MPBT015	Each
113-ft.	25	Fluor. Orange	MPBT025	Each

Paddle Signs

- Printed on both sides
- Choose STOP on one side and SLOW on the other, or STOP on both sides.



Compliance Counts:
DOT Compliant

Sign Material	Sign Size	Handle Length	Handle Material	STOP SLOW NO.	STOP STOP NO.	Unit
Hard Board	18"	10"	Wood	FSP181	FSP183	Each
Aluminum	18"	6"	Steel	FSP152	FSP154	Each
Aluminum	18"	60"	Wood	FSP153	FSP156	Each
Reflective Aluminum	18"	60"	Wood	FSP175	FSP177	Each
Reflective Aluminum	24"	60"	Wood	FSP190	—	Each
High Intensity Aluminum	18"	60"	Wood	FSP185	FSP187	Each



Windsocks

- Highly visible and durable, fluorescent vinyl-coated fabric
- Available in lengths from 36" to 60"
- Hardware sold separately

Length	Throat Width	No.	Unit
36"	10"	FSG320	Each
48"	18"	FSG322	Each
60"	18"	FSG324	Each

Windsock Hardware

- Frames are constructed of heavy-duty wire with sleeve and set collars
- Zinc plated for weather protection
- Rotates freely with no maintenance required

FITS Throat Width	No.	Unit
10"	FSG340	Each
18"	FSG342	Each





Blank Flexible Marker Stakes

Use for delineation alongside roadways, at end of pathways, and parking lot areas, as well as identifying buried utility lines.

Stakes are flexible to withstand high wind loads and high-speed impacts. They will bounce back into place when hit or run over by a vehicle. All-weather stakes are UV-stabilized with color throughout, and will not rot, rust, or need painting.

49 CFR 192.707 (a) Buried Pipelines...a line marker must be placed and maintained as close as practical over each buried main and transmission line...

(c) Pipelines above ground. Line markers must be placed and maintained along each section of a main and transmission line that is located above ground in an area that is accessible to the public.

Note: Stakes are recommended to be 4-ft. above ground. 66" long stakes are to be driven 18 to 24 inches into the ground.

FLEXIBLE MARKER STAKES COLOR CODES

To order, add color code after part number:

Color	Code
Blue	BU
Brown	BR
Green	GN
Orange	OR
Red	RD
White	WT
Yellow	YL

Fiberglass Stakes

- Heavy-duty, fiberglass-reinforced composite stakes are nearly indestructible
- Ten-times stronger than typical thermoplastic
- 66" long x 3 3/4"W with 1/4" thick center and 3/8" thick ribbed edge design for structural rigidity

Item	No.	Unit
Fiberglass Stake*	FMK600	Each
Post Driver	FMK900	Each

WARNING: Cancer – www.P65Warnings.ca.gov



Curve-Flex Stakes

- Ultra-flexible poly-composite plastic stake retains its shape from repeated impacts (over 50 hits at 45 mph).
- 66" long x 3 3/8" curved width x 3/32" thick
- Install with a steel drive clamp base that bends into the ground as an anchor leaving 48" above ground

Item	No.	Unit
Curve-Flex Stakes	FMK700	Each
Post Driver	FMK922	Each



Convex Stakes

- Resistant to an 80 mph collision and repeated impacts (up to 75 hits at 55 mph).
- Ground stakes are 66" long x 3 1/8" wide with 3 1/4" convex bulge on both sides along the center length
- Attached to a polymer hinge and barbed base assembly for added flexibility and ground stability

Item	No.	Unit
Convex Ground Stake	FMK800	Each
Convex Pavement Stake (36" length)	FMK100	Each
Post Driver	FMK944	Each
2-Part Epoxy* for 3-4 stakes	HFN606	Each

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Ground Stake



Convex Pavement Stake



Flexible Marker Stakes with Reflective Decals

- Easy identification prevents accidentally digging into a buried utility line
- 14" x 3" Engineer-Grade Reflective decal, available on one or both sides of the stake
- Decal is also available separately

To order Reflective Decals, select Decal Only part number.

To Order Stakes with Decals:

1. Select Flexible Marker Stake Style Part Number - Fiberglass Stake Single-Sided - **FMK611**
2. Add Stake Color Code (pg 48): Yellow - **YL**
3. Add Decal Color Code: Orange/White - **ORWT**

Decals are available on one or both sides of the stake

Stake Style	Single-Sided No.	Double-Sided No.	Unit
Fiberglass Stake*	FMK611	FMK613	Each
Curve-Flex Stake	FMK722	FMK724	Each
Convex Ground Stake	FMK834	FMK835	Each
Convex Pavement Stake	FMK867	FMK868	Each

*⚠ **WARNING:** Cancer – www.P65Warnings.ca.gov

										Unit
Decal Color Code	RD	OR	YL	WT	BU	BKYL	BKOR	RDWT	ORWT	Each
Decal Only No.	FMK200	FMK202	FMK204	FMK206	FMK208	FMK221	FMK223	FMK225	FMK227	Each

Flexible Marker Stakes with Utility Line-Marking Labels

- 14" x 3" printed Adhesive Vinyl label, available on one or both sides of the stake
- Space to add contact phone number on the bottom, please specify
- Label is also available separately

To order Utility Line-Marking Labels, select Stock or Semi-Custom part number.

To Order Stakes with Utility Line-Marking Labels:

1. Select Flexible Marker Stake Style Part Number - Fiberglass Stake Double-Sided - **FMK619**
2. Add Stake Color Code (pg 48): Yellow - **YL**
3. Add Label Code: A

Labels are available on one or both sides of the stake

Stake Style	Single-Sided No.	Double-Sided No.	Unit
<i>Stock</i>			
Fiberglass Stake*	FMK617	FMK619	Each
Curve-Flex Stake	FMK729	FMK731	Each
Convex Ground Stake	FMK841	FMK843	Each
<i>Semi-Custom</i>			
Fiberglass Stake*	FMK625	FMK626	Each
Curve-Flex Stake	FMK736	FMK737	Each
Convex Ground Stake	FMK847	FMK848	Each

*⚠ **WARNING:** Cancer – www.P65Warnings.ca.gov

											Unit
Label Code	A	B	C	D	E	F	G	H	J	K	
Stock Label Only No.	FMK320	FMK322	FMK324	FMK326	FMK328	FMK330	FMK332	FMK334	FMK336	FMK338	Each
Semi-Custom Label Only No.	FMK402	FMK404	FMK406	FMK408	FMK410	FMK412	FMK414	FMK416	FMK418	FMK420	Each

Parking & Traffic Signs

Post signs to safely direct and regulate the flow of vehicles and pedestrians.

Engineer-Grade Prismatic reflective surface on .080 thick aluminum for added visibility in low light conditions (Type I).



Unit
Each

Compliance Counts:
DOT Compliant

Traffic Signs



STOP

R1-1
18" x 24"
FRR012
MR1124



YIELD

R1-2
24" x 24"
30" x 30"
36" x 36"
FRR424RA
FRR425RA
FRR426RA



WRONG WAY

RS-1a
18" x 24"
18" x 30"
FRR022RA
FRR026RA



DO NOT ENTER

24" x 24"
30" x 30"
MR5124RA
MR5130RA



NO TRUCKS

RS-1
18" x 24"
FRR043RA



TRUCK ENTRANCE

18" x 24"
FRR045RA



NO THRU TRAFFIC

24" x 18"
FRR126RA



EXIT ONLY DO NOT ENTER

18" x 12"
24" x 18"
FRR229RA
FRR230RA

Parking Signs



NO PARKING

18" x 12"
FRP116RA



NO PARKING FIRE LANE

18" x 12"
FRP127RA



RESERVED PARKING

18" x 12"
FRP206RA



VISITOR PARKING

18" x 12"
FRP218RA



PARKING ONLY

18" x 12"
FRA234RA



MOTORCYCLE PARKING ONLY

18" x 12"
FRP246RA

Speed Limit Signs



SLOW BLIND CORNER PROCEED WITH CAUTION

18" x 12"
24" x 18"
FRW477RA
FRW478RA



SLOW SPEED BUMP

18" x 12"
24" x 18"
FRW479RA
FRW480RA



Pedestrian Crossing

W11-2
24" x 24"
30" x 30"
FRW427RA
FRW527RA



SPEED LIMIT 5

R2-1
18" x 12"
24" x 18"
30" x 24"
FRR2185RA
FRR2245RA
FRR3245RA

Steel U-Channel Posts

- Standard weight (1.12 lb. per foot)
- 3/8" holes on 1" centers along the length
- 6-ft. long

No.	Unit
HSP106	Each



Fence Sign Holder Bracket

- Easily installed by one person from one side of fence
- Constructed of heavy-duty galvanized steel
- Includes stainless steel bolt and nylon washer
- Can be used on signs with 3/16" and 3/8" mounting holes
- Two brackets required for post style mounting



Back View

No.	Unit
HSR270	Each

WARNING: Cancer and Reproductive Harm
www.P65Warnings.ca.gov

BLOCKADE

Versatile Sign Stand

- Base is solid, heavyweight cast iron material, weighing 37-lbs.
- Foldable legs flip open to increase footprint from 18" to 36"
- Includes a 6-ft. 1 3/4" square galvanized steel post and mounting hardware
- Compatible with virtually any sign featuring post mount holes
- Display indoors or outdoors

Item	No.	Unit
Base & 6-ft. Post	HSP820	Each
Base Only*	HSP821	Each
6-ft. Post	HSP139	Each
Wheel Accessory*	HSP823	Each

WARNING: Cancer and Reproductive Harm
www.P65Warnings.ca.gov



Sign sold separately



Single Spring Sign Stand

- Leg levers for easy deployment, open to 67 1/2" x 42" footprint
- Folds to 8" x 6" x 25 1/4"
- Use with 36" or 48" diamond roll-up construction signs with fiberglass cross-ribs (sold separately)
- Meets MUTCD specifications

No.	Unit
FRC710	Each



WARNING:
Cancer and Reproductive Harm
www.P65Warnings.ca.gov

Spring-Less Sign Stand



No.	Unit
FRC750	Each

Roll-Up Construction Signs

- **Mesh Vinyl (MV)** – Non-reflective, ideal for daytime only applications
- **Fluorescent Vinyl (FL)** – Non-reflective, UV stable bright colored vinyl for daytime use only
- **Reflective Vinyl (RV)** – High-intensity retro-reflective fiber reinforced nylon fabric, ideal for attention getting and low-light conditions
- **Diamond Grade (DG)** – Fluorescent prismatic reflective sheeting provides maximum brightness for daytime and nighttime applications



36" **FRC305**
48" **FRC414**



36" **FRC333**
48" **FRC444**



36" **FRC308**
48" **FRC417**



36" **FRC318**
48" **FRC427**



36" **FRC319**
48" **FRC428**



36" **FRC302**
48" **FRC411**



36" **FRC303**
48" **FRC412**



36" **FRC307**
48" **FRC416**

To order Roll-Ups, add material code after part number.

Material Code	Material	Unit
MV	Mesh Vinyl	Each
FL	Fluorescent Vinyl	Each
RV	Reflective Vinyl	Each
DG	Diamond Grade	Each

*Roll-Up Construction Sign Overlay



for 36" **FRC371**
for 48" **FRC492**

Cross-Ribs

Fits Sign Size	No.	Unit
36" x 36"	FRC836	Each
48" x 48"	FRC848	Each



Tripod Stand


- Stands 48" tall
- Holds 36" and 48" rigid and roll-up mesh signs
- Powder-coated steel construction
- Legs fold for portability and storage

No.	Unit
FRC900	Each



Emergency Warning Triangles


- Three orange 17 1/2 inch plastic triangles with red reflectors on both sides
- Meets DOT requirements



Weighted base, withstands 40 mph wind test

No.	Unit
FS173	Pack 3





Galvanized Steel Clamps

- Sturdy 6-lb. galvanized steel clamp
- Place the hinged "hook" over the rail and allow its weight to hold the clamp in place
- Yellow powder coated version weighs 7-lbs.



Signs sold separately

Clamp/Holder Style	No.	Unit
Galvanized Steel Clamp	FRR350	Each
Yellow Powder-Coated Steel Clamp	FRR390	Each
Yellow Foot-Operated Hinged Sign Holder	FRR980	Each



Foot-Operated Hinged RR Sign Holder

- Simply step down on the pedal to make the spring-action holder fall below rails
- To raise the sign holder, step down on the roll pin, causing the holder to rise up vertically, so you can lock it in place
- Powder-coated yellow finish
- Weight: 12-lbs.
- Lag screws included

Railroad Clamp Signs

- 12"H x 15"W .080 aluminum signs conform to OSHA specifications
- Choose from non-reflective signs for use in well-lit areas or reflective signs for better visibility in low-light conditions

To order, add color code after part number: Blue – **BU**, Red – **RD**, Orange – **OR**.

Unit
Each



Reflective
Non-Reflective

FRR360
FRR361



Reflective
Non-Reflective

FRR394
FRR398



Reflective
Non-Reflective

FRR352
FRR356



Reflective
Non-Reflective

FRR362
FRR363



Reflective
Non-Reflective

FRR351
FRR354



Reflective
Non-Reflective

FRR364
FRR365

Clamp Sign Color Guide

Blue

Required on any track where locomotives of the railroad serving your facility operate.

Blue
BU

Red

May be called for in special situations.

Red
RD

Orange

May be called for in special situations.

Orange
OR



FENCE-WRAP™

Custom Mesh Screens

Effectively communicate site specific safety messages to employees, valuable information to the public, or use for promotional opportunities. Constructed using heavy-duty, vinyl-coated scrim mesh.

Fence-Wrap™ Mesh Screens are available in 4-, 5-, 6-, and 8-ft. wide rolls and up to 150-ft. in length.

- No Set-up Fees
- Unlimited Colors and Logos
- Photographic-Quality Digital Printing
- Maximum graphic length is 150-ft.



Mesh texture allows wind to pass through

Most popular sizes shown below. Also available in custom sizes. Refer to part number **FBW555**.

Size	No.	Unit	Size	No.	Unit
4-ft. x 10-ft.	FBW105	Roll	6-ft. x 10-ft.	FBW305	Roll
4-ft. x 25-ft.	FBW115	Roll	6-ft. x 25-ft.	FBW315	Roll
5-ft. x 10-ft.	FBW205	Roll	8-ft. x 10-ft.	FBW405	Roll
5-ft. x 25-ft.	FBW215	Roll	8-ft. x 25-ft.	FBW415	Roll

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

ONE-WAY™ Printed Welding Screens

Unique ONE-WAY™ printing method allows welders to see through back of the screen, while simultaneously protecting and informing employees on the other side.

- Durable 14-mil translucent vinyl (NFPA 701 approved material) features hemmed edges with brass grommets



See-thru translucent Vinyl.



Close-up front.

To order, add translucent vinyl color code after part number: Yellow – **YL**, Red – **RD**, Blue – **BU**.



Size	Unit
6-ft x 6-ft	Each
6-ft x 8-ft	Each

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



6' x 6' PWD101
6' x 8' PWD103

Welding Screen Frames

- Available in 6-ft. x 6-ft., 6-ft. x 8-ft., and custom sizes
- Strong, sturdy, and durable 3/4" EMT conduit
- Easy to assemble


Size	No.	Unit
6-ft x 6-ft	PWD300	Each
6-ft x 8-ft	PWD302	Each
Other	PWD355	Each

Custom Printed ONE-WAY™ Welding Screens

- Same Price as Stock
- No Set-up Fees
- Unlimited Colors and Logos

Size	No.	Unit
6-ft x 6-ft	PWD155	Each
6-ft x 8-ft	PWD255	Each
Other	PWD555	Each

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov



DIGI-DAY®

Electronic Scoreboards

Show ongoing commitment to a safe workplace. Set the LED counter to green for accident-free days, or switch to red until safe days goal is met.

- Track continuous days, or only the days your company's workdays
- Internal clock auto-advances counter by one, every 24 hours; can set time to change
- Display days only or flash between days, date, and time
- Tamper-proof operation with handheld remote control (up to 5 displays)
- In a power failure, all information is stored
- Lightweight, durable aluminum protected by Sign Muscle®



Specifications:

- 28" x 20" x 1" slim aluminum frameless, visual edge design with rear mount hangers
- Four-digit, bright LED display with 2 1/2"H numbers
- Display meets IP65 test for dust and water resistance
- Operates on 110/120 VAC with 8-ft. power cord and AC adapter

Unit
Each



SCK102



SCK104



SCK171



SCK106



SCK169



SCK110



SCK113



SCK114




SCK116



SBSCK117

Scoreboards featuring "best previous record" include: One (1) electronic display to count safe days and one (1) magnetic display with changeable numbers set to track record number of days.

Custom Digi-Day® Electronic Scoreboards



⚠ WARNING: Cancer – www.P65Warnings.ca.gov

Motivational Banners

Promote safety and motivate employees in a BIG way!


- Eye-catching phrases, bold color graphics, and images
- Printed on tough, durable reinforced vinyl
- Good for temporary outdoor use
- Finished edges and metal grommets for hanging
- 28" x 8-ft.

⚠ **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Unit
Each



MBR896



MBR905



MBR763



MBR832



MBR870



MBR893



MBR830



MBR833



MBR823



MBR901



MBR819



MBR880



Custom Motivational Banners

Communication Center Boards

Striking visual display keeps important documents, PPE, first aid kits, lockout tagout kits, and much more in one centralized location.

- Made of durable, UV stable, weatherproof HDPE
- Easy to clean, reusable, and recyclable plastic
- Simply mount included accessories to board*
- Free-standing when assembled with leg supports or board only can be wall-mounted
- Leg supports can be filled with water or bolted down for added stability
- Configure accessories in any arrangement
- Outer Dimension: 88"H x 73.6"W x 39.37"D
- Weight: 127.31 lbs.

*Includes hardware required to mount included accessories

What's Included

- 1 Communication Center Board
 - 6 Clear polycarbonate document holders 12"H x 8 1/2"W
 - 1 Clear polycarbonate storage tray/pocket measures 4"H x 60"W
 - 1 Dry-erase, magnetic white board 18"H x 27"W w/ eraser and two markers
 - 1 "Meet the person responsible for your safety" acrylic mirror 11"H x 8"W
- Two person assembly required. Assembly takes approximately 20-30 minutes to complete depending on the number of extra products and accessories to be installed.



PBR101

To order, add color code after part number:

Color	Part No.	Unit
Red	RD	Each
Yellow	YL	Each


Title Plaque Sets

Stock Communication Center Boards are supplied with a title plaque reading: "Board" with diagonal yellow/black side panels. Our 3-piece Title Plaque Sets enable you to easily change the top plaque and both side panels to your select message instead.

- Made of Dura-Plastic™ material
- Each piece features rounded corner and holes
- Protected by Sign Muscle®
- Ask about our Custom options too.




COMMUNICATION CENTER




PBR410

INFORMATION CENTER



PBR411

SAFETY CENTER



PBR412

Custom Communication Center Board

Add any number of our other products (sold separately) and install them in any configuration you'd like.

- No set-up fees
- Any lettering or font to fit your design
- Full-color graphics at no additional charge

Contact us with the specifics to meet your requirements

