



# Construction Jobsite Safety Solutions


Identifying risk. Prioritizing action.  
Supporting safer worksites.

Solutions informed by real construction jobsite observations.



# Construction Site Safety Map

Ensuring construction jobsite safety is crucial for protecting workers and maintaining compliance. Our visual guide makes it easy to check for the presence of critical safety equipment and adherence to regulatory standards.



**1 Parking Stops and Speed Bumps**  
Traffic control devices enhancing safety in construction site parking areas.

**2 Bollards**  
Robust steel barriers protecting buildings and pedestrians from vehicle impacts in high-traffic areas.

**3 Wheel Chocks**  
Prevent vehicle roll-aways on inclines, enhancing site safety with durable, lightweight design.

**4 Warning Whips**  
Ensure high visibility and reliability for vehicles or equipment in any condition.

**5 Spill Containment Berms**  
Flexible barriers that contain spills, protecting the environment and ensuring regulatory compliance.

**6 Outdoor Flammable Cabinets**  
Weatherproof storage for hazardous materials, enhancing site safety and meeting OSHA standards.

**7 Ground Protection Mat**  
Durable mats supporting heavy loads, creating stable pathways over uneven or muddy terrain.

**8 Fence Wrap**  
Customizable barrier fabric enhancing privacy, safety, and branding on construction site perimeters.

**9 Cable Protectors**  
Durable ramps shielding electrical cables from damage, supporting up to 34,000 lbs per axle of equipment.

**10 Emergency Shower & Eye Wash**  
Portable decontamination stations for rapid response to chemical exposures on-site.

**11 Safety Signs**  
High-visibility signage communicating hazards, directions, and safety information to workers.

**12 Safety Cabinets**  
Securely stores flammable or hazardous materials, preventing accidents.

## Why Construction Teams Choose Justrite Safety Group

### One Partner. Every Hazard.

Construction sites face many safety and compliance exposures across every phase of work. Managing those risks through multiple vendors makes consistency harder to maintain. Justrite Safety Group is your complete safety partner across the entire jobsite.

- 150,000+ safety solutions
- 20+ product categories
- 11 leading safety brands

Our products are built for real-world construction conditions and aligned with compliance standards like OSHA, NFPA, ANSI, and EPA.

### Informed by Real Jobsite Experience

Because our solutions are used daily on active construction sites, we understand how hazards appear, evolve, and compound over time. Our history of jobsite analysis informs how we evaluate conditions and prioritize risk across every area and phase of work.

### Areas We Support

- ✓ Site Exterior & Trailer
- ✓ Ground Work
- ✓ Foundation Work
- ✓ Structural Work
- ✓ Mechanical/Electrical/Plumbing
- ✓ Building Envelope

### How We Define Risk

-  **Critical** – Immediate safety, environmental, or regulatory exposure
-  **Important** – Elevated likelihood of incidents or compliance findings
-  **Best Practice** – Preventive controls supporting daily safety and culture

### What We Commonly See on Construction Jobsites

| Area and Phase                 |  |  |  |
|--------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Site Exterior & Trailer        | 1                                                                                   | 5                                                                                   | 2                                                                                   |
| Ground Work                    | 1                                                                                   | 1                                                                                   | 5                                                                                   |
| Foundation Work                | 0                                                                                   | 0                                                                                   | 4                                                                                   |
| Structural Work                | 0                                                                                   | 2                                                                                   | 4                                                                                   |
| Mechanical/Electrical/Plumbing | 0                                                                                   | 0                                                                                   | 2                                                                                   |
| Building Envelope              | 0                                                                                   | 1                                                                                   | 3                                                                                   |

Observation frequency and severity vary by site conditions.

## The Cost of Non-Compliance on Construction Sites

On construction sites, missed hazards create more than risk.

They create cost.

**Non-compliance can result in:**

- Project delays and stop-work orders
- OSHA citations and corrective actions
- Injury-related downtime and claims
- Reputation and bid risk tied to safety performance

## What We Commonly See on Construction Jobsites

### ■ Site Exterior & Trailer

| Observation                                                               | Risk Level    | Product Reference              |                          |
|---------------------------------------------------------------------------|---------------|--------------------------------|--------------------------|
| Dirt and mud at entry increases slip risk                                 | Important     | Boot Scraper, Entrance Matting | <input type="checkbox"/> |
| Lack of barrier marking site limit, increasing risk of unauthorized entry | Important     | Fence Barrier Whip             | <input type="checkbox"/> |
| Loose surface cables pose trip and damage risk                            | Important     | Dropover Cable Protector       | <input type="checkbox"/> |
| Safety visual comms are unclear or lacking                                | Critical      | Signage Boards                 | <input type="checkbox"/> |
| Slip risk due to dirty/muddy boot traffic                                 | Important     | Entrance Mat                   | <input type="checkbox"/> |
| Unsafe access due to inadequate traction                                  | Critical      | Anti-Slip Mat                  | <input type="checkbox"/> |
| Unclear PPE requirements                                                  | Best Practice | Custom and Stock Safety Signs  | <input type="checkbox"/> |
| No warnings of high decibel noise                                         | Important     | Decibel Meter Sign             | <input type="checkbox"/> |

### ■ Ground Work

| Observation                                                                | Risk Level    | Product Reference                               |                          |
|----------------------------------------------------------------------------|---------------|-------------------------------------------------|--------------------------|
| Missing or damaged wheel chocks—risk of vehicle rollaway during excavation | Critical      | Wheel Chock                                     | <input type="checkbox"/> |
| No ground protection—equipment damaging soil/hazards for slips             | Critical      | Ground Protection Matting                       | <input type="checkbox"/> |
| Inadequate barricading of hazardous or restricted areas                    | Critical      | Barricade Tape                                  | <input type="checkbox"/> |
| Worker role/certification not visible                                      | Best Practice | Hard Hat Stickers                               | <input type="checkbox"/> |
| Building edges not protected from heavy vehicle impacts                    | Important     | Bollards                                        | <input type="checkbox"/> |
| No secondary containment for chemicals/preventing spill                    | Critical      | Spill Containment, Dispensing, Pallets/Cabinets | <input type="checkbox"/> |
| Heat stress risk during summer operations                                  | Critical      | Heat Stress Sign                                | <input type="checkbox"/> |

### ■ Foundation Work

| Observation                                                 | Risk Level | Product Reference              |                          |
|-------------------------------------------------------------|------------|--------------------------------|--------------------------|
| Power cables/hoses unprotected from damage                  | Critical   | Cable/Hose Ramp                | <input type="checkbox"/> |
| Equipment not fitted with high-visibility warning whips     | Critical   | Warning Whip                   | <input type="checkbox"/> |
| Inadequate ground stabilization under heavy equipment       | Critical   | Ground Protection Matting      | <input type="checkbox"/> |
| No emergency safety shower nearby in hazardous chemical use | Critical   | Portable Safety Shower/Eyewash | <input type="checkbox"/> |

## What We Commonly See on Construction Jobsites

### Mechanical/Electrical/Plumbing

#### Observation

Access to live/energized points during install causing serious/arc flash risk

#### Risk Level

Critical

#### Product Reference

Lockout Tagout System

☐

Unsecured temporary wiring/hoses - electrocution/trip hazard

Critical

Cable Hook

☐

### Structural Work

#### Observation

Crane/equipment not stabilized; crane tip or collapse risk

#### Risk Level

Important

#### Product Reference

Rigger Crane Pad

☐

Chemicals unprotected or in noncompliant storage

Critical

Flammable Safety Cabinet

☐

No storage for Li-ion tools/batteries - fire/explosion hazard

Critical

Lithium-Ion Storage Cabinet

☐

No spill response provisions for chemical handling

Critical

Spill Kit/Containment Kit

☐

Hydrocarbons carried in noncompliant plastic containers

Critical

Steel Safety Can

☐

Welding not shielded from other workers - arc flash/fire hazard

Important

Welding Screen

☐

### Building Envelope

#### Observation

Drums of hazardous solids uncontained/secured

#### Risk Level

Critical

Outdoor Drum Storage

☐

IBC containers for chemicals lack spill containment

Critical

IBC Containment System

☐

No immediate warning for areas with falling debris/heavy equipment

Critical

Danger/Warning Sign

☐

Dirty ground/weather run-off at site entrance

Important

Ground Protection Matting

☐


## Construction sites demand flexible, durable safety solutions.

Our family of brands helps manage fire risk, spills, traffic, worker safety, and more through a complete safety system designed for the field.



## Critical Risk Solutions

|                                                                                    | Product Reference                               | SKU Numbers                                  |                          |
|------------------------------------------------------------------------------------|-------------------------------------------------|----------------------------------------------|--------------------------|
|    | Anti-Slip Mat                                   | 550S0033BL, 562S0035BL, 620S3060BY           | <input type="checkbox"/> |
|    | Barricade Tape                                  | MPT00, MPT01, FBG602                         | <input type="checkbox"/> |
|    | Cable Hook                                      | GD5X125-O/B, CHQUICKHOOK-O                   | <input type="checkbox"/> |
|    | Cable/Hose Ramp                                 | GD5X125-O/B, YJ5-125-Y/B, UHB5060            | <input type="checkbox"/> |
|    | Danger/Warning Sign                             | MCRT042VA, FBC720, MEQM184VA, MCRT008VA      | <input type="checkbox"/> |
|    | Signage Boards                                  | PBR101YL, PPG105, PPG300, SP125390           | <input type="checkbox"/> |
|   | Flammable Safety Cabinet                        | 814520                                       | <input type="checkbox"/> |
|  | Ground Protection Matting                       | AM48HH8, AM48, VM48, TTXL                    | <input type="checkbox"/> |
|  | Heat Stress Sign                                | SCK701, SCK702, FBW207, SP124477L, SP125388L | <input type="checkbox"/> |
|  | IBC Containment System                          | 1680                                         | <input type="checkbox"/> |
|  | Steel Safety Can                                | UI50                                         | <input type="checkbox"/> |
|  | Lithium-Ion Storage Cabinet                     | 231703                                       | <input type="checkbox"/> |
|  | Lockout Tagout System                           | KSK115, KSK234, KSK700                       | <input type="checkbox"/> |
|  | Outdoor Drum Storage                            | 1656                                         | <input type="checkbox"/> |
|  | Portable Safety Shower / Eyewash                | 40K45G, MHW2000-1                            | <input type="checkbox"/> |
|  | Spill Containment, Dispensing, Pallets/Cabinets | 28524, 28514, 28519                          | <input type="checkbox"/> |
|  | Spill Kit / Containment Kit                     | 1625                                         | <input type="checkbox"/> |
|  | Warning Whips                                   | FS8XL-O, S8XL-SPQD-O, FS8X-SPQD-O            | <input type="checkbox"/> |
|  | Wheel Chock                                     | UC1700, UC1500-6, AT3512-RP-Y, AT3514-RP-Y   | <input type="checkbox"/> |

## Important Risk Solutions

|  Product Reference              | SKU Numbers                                    |                          |
|------------------------------------------------------------------------------------------------------------------|------------------------------------------------|--------------------------|
|  Anti-Fatigue Mat               | 418S0235BY, 479S0035YB, 562S0035BL, 549S3840YB | <input type="checkbox"/> |
|  Bollards                       | 1738                                           | <input type="checkbox"/> |
|  Boot Scraper, Entrance Matting | 352S1215BL, 345S3660BL, 166S0035CH             | <input type="checkbox"/> |
|  Decibel Meter Sign             | SCS601, SCS603, SCS605                         | <input type="checkbox"/> |
|  Dropover Cable Protector       | FL1X1.5-O, FL1X1.5-Y, FL1X1.5-B                | <input type="checkbox"/> |
|  Entrance Mat                   | 340S0035BL, 345S3660BL, 599S0035BL             | <input type="checkbox"/> |
|  Fence Barrier Whip             | FBW112, FBW118, FBW306, FBW208, FBW210         | <input type="checkbox"/> |
|  Ground Protection Matting      | AM48HH8, AM48, VM48, TTXL                      | <input type="checkbox"/> |
|  Rigger Crane Pad               | PAD1818-1                                      | <input type="checkbox"/> |
|  Welding Screen                 | PWD100BU, PWD108BU, PWD300, MCHL672VA, MF116   | <input type="checkbox"/> |

## Best Practice Solutions

|  Product Reference             | SKU Numbers                             |                          |
|-------------------------------------------------------------------------------------------------------------------|-----------------------------------------|--------------------------|
|  Hard Hat Stickers             | LHTL334, LHTL115, LHTL344, LHTL354      | <input type="checkbox"/> |
|  Custom and Stock Safety Signs | PPE236, MCRT034VA, MPPE775VA, MPPE240VA | <input type="checkbox"/> |



**Trusted by the Construction Industry.** Justrite Safety Group is proud to be a member of the Associated General Contractors of America, the nation's leading construction association. This affiliation reflects our commitment to jobsite safety, industry best practices, and supporting the professionals who build our world.



### STUD-E® On-Site Safety & Compliance Assessment

- Identifies site-specific risks aligned to OSHA, NFPA, EPA, and ANSI
- Ranks findings by Critical, Important, and Best Practice
- Provides actionable recommendations mapped to proven solutions

**Schedule your complimentary STUD-E assessment**  
[justrite.com/stud-e-survey](https://justrite.com/stud-e-survey)

**STUD-E™**

## Explore the Solutions Behind the Recommendations

Scan any resource below to learn more about how specific solutions are applied in real jobsite conditions, including key features, typical use cases, and relevant safety or regulatory considerations. These materials are intended to support informed decision-making and proper implementation on site.




[Safety Cabinets](#)



[Safety Cans](#)



[Cable Protectors](#)



[Spill Containment](#)



[Plastic Drums](#)



[Ground Protection](#)



[Safety Showers](#)



[Safety Signs](#)



[Lithium-Ion Charging Cabinet](#)



[Wheel Chocks](#)

The user is solely responsible for ensuring compliance with all applicable local, state, and federal rules, regulations, and laws, including, but not limited to the Federal Mine Safety and Health Act and the Occupational Safety and Health Act. The information provided herein does not constitute legal advice and should not be relied upon as a substitute for independent verification of compliance obligations.