



 **Justrite**
Safety Group
Start with the EssentialSM

Oil and Gas Industry Safety Solutions

A range of safety solutions to support
environmental compliance, offshore
regulation, and chemicals management

ACCUFORMNMC
Justrite Safety Group

 **CHECKERS**
Justrite Safety Group

 **EAGLE**
Justrite Safety Group

HUGHES
HUGHES-SAFETY.COM
Justrite Safety Group

 **Justrite**



Vehicle & Motion Safety

Large industrial vehicles pose a risk to workers and equipment. Vehicle accidents are reported to be the top cause of death in the oil and gas industry.

Wheel Chocks

Durable, safe solutions to keep vehicles in place. Wheels should be chocked when a truck or trailer is parked at a worksite.

MC3010	Heavy-Duty Wheel Chock, 65"-105" tire, 165 ton load ▲*
AT3512	All-Terrain Wheel Chock; 28"-38" tire, 80,000 lb load 36"-46" tire, 150,000 lb load ▲*
UC1500	General-Purpose Wheel Chock, 32"-46" tire, 70,000 lb load ▲†
RC815	Rubber Wheel Chock, 10"L x 8"W x 6"H
MVHR626VP	OSHA Caution Safety Sign: Driver Must Chock Wheels, 7" x 10", plastic



Warning Whips

Warn others of a vehicle's presence—Checkers' warning whips provide the highest level of visibility and reliability in any weather or working condition.




FS8XL-O	General Purpose Warning Whip, lighted, 8 ft with hex base, 12" orange flag with white reflective X ▲††
WLFS.4LED.AF	Rocket II Super Bright LED Light, flashing amber

Cable & Hose Management

Create safe passage for pedestrians and vehicles while protecting valuable electrical cables, cords and hose lines.

GD5X125-O/B	Guard Dog® General Purpose, 5 channel, dog bone connector, orange/black ▲
CP5X125-Y/O	Heavy-Duty Linebacker®, 5 channel, yellow/orange ▲‡
CPT5X125-R-Y/O	Heavy-Duty Linebacker®, 5 channel right turn ▲‡
CPT5X125-L-Y/O	Heavy-Duty Linebacker®, 5 channel left turn ▲‡
UHB4045	Diamondback® Hose Bridge System for 4.5" line, yellow ▲‡



Ground Protection Mats

Matting protects sensitive turf while providing temporary access, roadways, or working platforms. To comply with OSHA guidelines, employers must ensure that surface conditions at worksites are safe for walking.



AM48	AlturnaMATS® Ground Protection Mat, black, 4 x 8 ft ▲*
TM4496	TrakMAT®, Ground Protection Mat, 4 x 8 ft ▲*

Outrigger Crane Pads

Reduce risk of heavy equipment toppling with stabilizing outrigger pads, especially when working on soft surfaces such as grass or dirt. Protect against damage to wood, concrete, or asphalt surfaces.



PAD24241	Outrigger Pad, 24" x 24" x 1", 60,000 lb load, black
----------	--

*▲ **WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

†▲ **WARNING:** This product can expose you to chemicals including acrylonitrile and styrene, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

▲ **WARNING: This product can expose you to chemicals including lead and lead compounds and Di(2-ethylhexyl)phthalate (DEHP), which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information pls go to www.P65Warnings.ca.gov.

‡▲ **WARNING:** This product can expose you to chemicals including carbon black, titanium dioxide, formaldehyde, and benzyl butyl phthalate, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

††▲ **WARNING:** This product can expose you to chemicals including nickel compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.



Start with the Essential.™



Flammable Safety

Workers in the oil and gas industries face the risk of fire and explosion due to ignition of flammable vapors or gases. Have the right safety products to safeguard workers from fire.

Safety Cans

Protect workers and reduce the risk of fire and explosion when pouring and storing flammable liquids. Use to refuel generators during turnaround or heavy-equipment at ground level, transport gasoline for small engine and road vehicles, and store flammable liquids in maintenance areas.



Type I Safety Cans — include funnel

- UI50FS Eagle Type I Safety Can, 5 gallon, red ▲
- UI50FSY Eagle Type I Safety Can, 5 gallon, yellow ▲

Type II Safety Cans — include metal hose

- 7250130 Justrite Type II AccuFlow™ Safety Can, 5 gallon, 1" hose, red
- 7250230 Justrite Type II AccuFlow™ Safety Can, 5 gallon, 1" hose, yellow
- 7350130 Justrite DOT Type II AccuFlow™ Safety Can, 5 gallon, 1" hose, red
- 1215SX5 Eagle DOT Type II Safety Can, 5 gallon, 5/8" hose, yellow ▲



Oily Waste Can

As per OSHA, all oily rags shall be put directly in fire resistant covered containers until removed from workstation. All models offer hands-free operation with a self-closing lid.



- 933FL Eagle Poly Oily Waste Can, 6 gallon
- 09300 Justrite Metal Oily Waste Can, 10 gallon

Safety Plunger Dispensing Cans

Safely dispense flammable liquids and solvents without waste or exposure. Use to moisten cleaning cloths for cleaning parts in the maintenance shop.



- 10208 Plunger Dispensing Can, 2 quart, red
- 10308 Plunger Dispensing Can, 1 gallon, red

Safety Cabinets

Safe, secure storage of fuels and flammables on site. A safety cabinet is needed when the job site has over 25 gallons of flammable or combustible liquids.



- Justrite Sure-Grip® EX Safety Cabinets
- 894520 45 gallon cabinet with 2 shelves, 2 self-close doors, yellow ▲
- 899320 Drum cabinet with cradle for 55 gal horizontal drum, 2 self-close doors, yellow ▲
- 899060 Drum cabinet for two 30 gal vertical drums, 2 manual-close doors, yellow



- Eagle Flammables Safety Cabinets
- 4510X 45 gallon cabinet with 2 shelves, 2 self-close doors, yellow ▲
- 1928X Drum cabinet for one 55 gal horizontal drum, 2 self-close doors, yellow
- 1926X Drum cabinet for one 55 gal vertical drum, 2 manual-close doors, yellow

Rinse Tank

Easily clean large parts with big-capacity rinse tanks. Includes foot-operated, self-closing cover. Collect used solvent into a drain can for safe disposal.

- 27110 Floor-Standing Rinse Tank, 11 gallon, red ▲
- 10905 Drain Can with plated steel funnel, 5 gallon



▲ **WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Flammable Safety

Drum Equipment

Proper and safe dispensing or liquid transfer of oils and other flammable liquids. Internal flame arrester prevents flashback into the drum for added safety.

- 07717 Stainless Steel Piston Pump for 30 and 55 gallon drums
- 08805 Drum Bung Wrench fits many 2" or 3/4" bung styles, brass alloy
- 08500 Antistatic Flexible Wire for bonding and grounding, with dual alligator clips 5/8" jaws, 3 ft



07717

- 08207 Steel Drum Funnel for flammables, self-closing cover, 2" bung
- 08208 Steel Drum Funnel for viscous liquids, self-closing cover, 2" bung ▲*
- 08552 Brass Drum Gate Valve for viscous liquids, 2" NPT bung ▲*
- 08902 Brass Safety Drum Faucet, 3/4" NPT bung ▲*
- 08930 Flexible Hose Extension for 08902 drum faucet, 8" long, brass ▲*
- 08300 Brass Horizontal Drum Vent, 2" bung ▲*



08207



08902

Drum & Material Handling

Filled drums are heavy. Avoid injuries with accessories that make moving and repositioning drums easier.

- 08800 Drum Cradle for moving 55 gallon drums
- 28270 Steel Dolly for moving 55 gallon vertical drums
- 1952 Overpack Hand Truck for plastic drum barrels
- 08801 Drum Lifter for forklifts, to move 55 gallon drum (up to 1,000 lb)



08800



1952

SDS Document Storage

Keep Safety Data Sheets readily available to all personnel and protect your workforce.

- S23304 Document Storage Box with lockable front opening
- S23305 Document Tube for storage and transport, twist on lid
- ZRS326 Right-To-Know Center; 20" x 15" aluminum board with coated wire basket and 1", 3-ring binder



Sound Protection

QuietSite™ Noise Reduction Barriers

Cut noise pollution from drilling operations, shale gas exploration, and fracking sites. Create a seamless barrier by connecting multiple panels. Mount panels on standard link fence, scaffolding, or available metal frame.

- 26462 QuietSite Premium Noise Reduction Barrier, 4 x 6 ft panel ▲*
- 26466 QuietSite Premium Noise Reduction Barrier, 4 x 8 ft panel ▲*



*▲ **WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

*▲ **WARNING:** This product can expose you to chemicals including diisononyl phthalate, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Safety Showers & Eyewashes

Among the many dangers faced by oil and gas workers is exposure to hazardous chemicals, putting workers at risk for injuries that include chemical burns from caustic substances. It is imperative that workers have quick access to an emergency drench shower and eyewash in case an incident occurs.

Portable Emergency Eyewashes

Self-contained eyewash stations are ideal where continuous water isn't available—no plumbing needed. ANSI-compliant.



- | | |
|---------------|--|
| 10GEW | Portable OptiWash® Gravity Fed Eyewash, 10 gallon |
| 10GEW-BLKT-HT | Heated Jacket for 10GEW, 120V ▲ |
| 16GEW | Portable Gravity Fed Eyewash, 16 gallon |
| 16GEW-BLKT-HT | Heated Jacket for 16GEW, 120V ▲ |
| 15GEW | Portable, Self-Contained Emergency Eyewash, pressurized, 15 gallon ▲ |
| OPT50 | Handheld Drench Hose for 15GEW |
| ADDR4PKUS | Additive Solution for portable eyewashes; USA version |

Mobile Emergency Safety Showers

Mobile showers with eye/face wash allow reliable, effective treatment in remote locations where water supply is unavailable.

- | | |
|-----------|--|
| 40K45G-A | Mobile Self-Contained Emergency Safety Shower, 30 gallon ▲ |
| MHW2000-1 | Mobile Self-Contained Emergency Safety Shower, 528 gallon, 110V GP ▲ |



MHW2000-1

Plumbed Emergency Showers

Floor mounted safety showers with integrated eye/face wash unit provide necessary relief when workers are exposed to hazardous substances. Outdoor model is heated and insulated to ensure operation without the risk of malfunction due to freezing conditions. Temperature controlled safety shower includes a heated water tank to ensure the delivery of tepid water.

- | | | |
|------------|--|---|
| 18G45G | Combination Shower with ABS bowl, galvanized pipe, bottom inlet ▲ |  |
| H5G45G-1H | Freeze Protected Combination Shower with ABS bowl, galvanized pipe, bottom inlet, 120V ▲ | |
| TC100KS45G | Temperature Controlled Safety Shower and eye/face wash, 79 gallon, stainless steel, 240V ▲ | |


Emergency Tank Showers

For hot or cold environments, tank showers are the perfect solution for worksites that don't have a constant water supply or insufficient water pressure. Use non-chemical disinfecting modules to protect tank water from bacteria, scale or corrosion.

- | | |
|--------|--|
| QS1200 | Emergency Tank Shower, 317 gallon, 110V ▲ |
| QS2000 | Emergency Tank Shower, 528 gallon, 110V ▲ |
| AQ1200 | Water Treatment Module for 317 gallon tank |
| AQ2000 | Water Treatment Module for 528 gallon tank |



▲ **WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Safety Tags & Lockout Devices

Lockout Tags

OSHA compliant tag identifies the lockout situation and person at risk. Pliable poly-tags are tear and water resistant. Measures 5-3/4" x 3-1/4" with 3/8" top hole.



Inspection & Status Record Tags

See the last recorded inspection and status of equipment at a glance.



Isolation Blind Tags

Alert workers to the location and specific hazards of blinds installed during maintenance or lock out. Durable, tear-, weather-, and chemical-resistant flexible plastic; 2" x 21" with 3/8" side hole.



STOPOUT® Lockout Devices

Just shutting down or disconnecting equipment is not enough. Lockout/Tagout devices keep employees safe by making it inoperable.

KSK236 25/pack
STOPOUT® Lockout Kit:
Standard Plus Lockout Kit




Blind Flange Lockout

KDD501 For pipe size 1-1/2" - 5-5/8"
KDD502 For pipe size 3-3/4" - 10-3/4"
KDD503 For pipe size 7-3/4" - 17-7/8"



Lock box lets you view
lockout keys status and up to
20 padlocks along the lid.

KCC690 Pry-Resistant Lock Box



Gate Valve Handle Lockouts

KDD470 For 1" - 2-1/2" handle
KDD471 For 2-1/2" - 5" handle
KDD472 For 5" - 6 1/2" handle
KDD473 For 6-1/2" - 10" handle
KDD474 For 10" - 13" handle



Ball Valve Lockouts

KDD442 For 3/8" - 1-1/4" valve
KDD440 For 1-1/2" - 2" valve

WARNING: Cancer and Reproductive Harm —
www.P65Warnings.ca.gov



Start with the Essential.™



Signage & Identification

Safety Signs



MCSP026VP
10" x 14" Plastic



FRR928RA
18" x 24" Reflective Aluminum

Hazardous Waste Label



MHZW20EVP
Adhesive-back Poly Label,
6"x6", 25/pk

NFPA Placard Kit

Designed to quickly classify hazardous chemicals. Kit lets you customize placard to clearly communicate hazards in the area. Includes one blank placard, 15 numbers (three sets of 0-4), seven hazard symbols, and NFPA wallet guide.



ZFD101EV 10" x 10" Adhesive Vinyl
ZFD101PA 10" x 10" Aluminum

Custom Signs Made Easy... Made Fast

Signs, tags, banners, and more.
Contact us for full details.



Barriers & Barricades

Stanchion Posts

Control and direct the flow of pedestrian traffic. Identify queues, entryways and more. Ideal for indoor use or limited outdoor use.



PRC741YL
Plastic Stanchion
Post, 41" H, yellow



PRC202YL
Plastic Chain Links,
Yellow, per foot

PRC202RD
Plastic Chain Links,
Red, per foot

Barricade Safety Tags

Identify the purpose and reason for barricade setups. Poly-tags are tear and water resistant. Measures 5-3/4" x 3-1/4" with 3/8" top hole.



TAB900CTP 25/pack



TAB105CTP 25/pack



TAB110CTP 25/pack

Barricade Tapes

Temporarily section off areas. Cut to length and secure with adhesive tape, nail, staples or tie-off. 3" x 1000-ft roll.



MPT00

Marker Stakes

Heavy-duty, fiberglass reinforced composite stakes are nearly indestructible. Use for delineation along roadways, at end of pathways, and parking lots, as well as identifying buried utility lines. Measures 66"H x 3-3/4"W x 1/4" thick.

FMK600YL ▲
Fiberglass Flexible Marker Stakes, yellow

▲ **WARNING:** Cancer — www.P65Warnings.ca.gov



Man-Way Cross Barrier

Cross out open entryway to a confined space. Crossbuck design fits onto bolt pattern of vertical confined space entry. Pivots flat for easy transport and storage.

CXB631
Cross Barrier, plastic
1.5" x 11.5" octagonal sign with
5.75" x 42" crossbuck arms
Fits 22" to 38" outside bolt-to-bolt





Start with the Essential.™



Spill Containment

With stringent laws that prohibit oil spills, it is imperative companies take precautions and use a combination of primary and secondary containment measures at oil and natural gas fracking sites, during transportation and at storage facilities.

Spill Berms

At a regulated facility, all areas and equipment with the potential for discharge are subject to the general secondary containment provision. Quickly contain spills and leaks during temporary storage of drums, machine parts, batteries, and equipment.



- 28526 Rigid-Lock QuickBerm®, 12 x 20 ft ▲†
- 28530 Rigid-Lock QuickBerm®, 16 x 20 ft ▲†
- 28424 Maintenance Spill Berm, 10 x 11 ft ▲‡
- 28325 Pop-Up Pool, 62" dia x 16"H ▲



Decontamination Spill Protection

Multi-stage berms safely contain contaminated solutions.

- 28570 Justrite Decon QuickBerm®, 2-zone ▲‡
- 28572 Justrite Decon QuickBerm®, 3-zone ▲‡



Oil-Only Absorbents

Use to clean spills and leaks or during equipment maintenance. Oil-only absorbents retain oils and petroleum-based liquids without absorbing water.


- 83467 Bonded Fiber Roll, light weight, 30" x 300 ft roll
- 83483 Bonded Fiber Pads, light weight, 15" x 18" pad, box of 200
- 83466 Meltblown Fiber Pads, medium weight, 15" x 18" pad, box of 100



Spill Containment Pallets

Use spill pallets to contain leaks, drips, or ruptures from chemical storage drums.

- 1640 Plastic Pallet with drain, 4 drum capacity, yellow
- 1620ND Plastic Pallet without drain, 2 drum capacity, yellow



Poly Drums

For safe handling, transportation, containment, and cleanup of hazardous materials.

- 1655 55 gal lab pack drum, plastic lever-lock, yellow
- 1690 95 gal overpack drum, screw-on lid, yellow
- 1654 20 gal salvage drum, metal lever-lock, yellow



Spill Tray

Contain small spills up to five gallons. Use as a drip pan under dispensers or as a floor tray under machinery.

- 1677BLK Utility Tray, 5 gal capacity, black



▲ **WARNING:** This product can expose you to chemicals including diisononyl phthalate, which is known to the State of California to cause cancer and birth defects or other reproductive harm and nickel, which is known to the state of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

†▲ **WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm, and nickel, which is known to the state of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

‡▲ **WARNING:** This product can expose you to chemicals including diisononyl phthalate and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

**For more information
call 1-800-798-9250 or
visit us online at Justrite.com**